SAFETY DATA SHEET



Air Wick Scented Oil - Woodland Pine

1. Product and company identification

Product name Distributed by : Air Wick Scented Oil - Woodland Pine

: Reckitt Benckiser LLC. Morris Corporate Center IV

399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225

+1 973 404 2600

Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9

CANADA

Telephone: +1 905 283 7000

Emergency telephone number (Medical)

: 1-800-338-6167

Emergency telephone number (Transport)

: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: : http://www.rbnainfo.com

Product use : Air care, continuous action (solid and liquid)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D8277069 V1.0 **Formulation #** : 3149378 v1.0

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Air care products Consumer uses

2. Hazards identification

Classification of the substance or mixture

: FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1

GHS label elements

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 1/16

2. Hazards identification

Hazard pictograms

!

Signal word : Warning

Hazard statements : Combustible liquid.

Causes eye irritation.

May cause an allergic skin reaction.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

Prevention: Wear protective gloves. Wear eye or face protection. Keep away from flames and hot

surfaces. - No smoking. Avoid breathing vapor. Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Response : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before

reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage : Store in a well-ventilated place. Keep cool.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Supplemental label

elements

: None known.

Hazards not otherwise

classified

: None known.

3. Composition/information on ingredients

Substance/mixture : Mixture

| Ingredient name | % | CAS number |
|---|-------|-------------------|
| 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde | 5-10 | 68039-49-6 |
| Ethyl maltol | 1-5 | 4940-11-8 |
| 4-tert-Butylcyclohexyl acetate | 1-5 | 32210-23-4 |
| Allyl (3-methylbutoxy)acetate | 1-5 | 67634-00-8 |
| Coumarin | 1-5 | 91-64-5 |
| beta-Caryophyllene | 1-5 | 87-44-5 |
| Eucalyptol | 1-5 | 470-82-6 |
| d-Limonene | 1-5 | 5989-27-5 |
| alpha-Pinene | 1-5 | 80-56-8 |
| Linalyl acetate | 1-5 | 115-95-7 |
| Lauric aldehyde | 1-5 | 112-54-9 |
| 2-Methylundecanal | 1-5 | 110-41-8 |
| Camphene | 1-5 | 79-92-5 |
| Eugenol | 0.1-1 | 97-53-0 |
| delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one | 0.1-1 | 57378-68-4 |
| Citral | 0.1-1 | 5392-40-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 2/16

4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

> irritation watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation redness

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

: Treat symptomatically. Contact poison treatment specialist immediately if large Notes to physician

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves.

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 3/16

4. First aid measures

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous thermal decomposition products : Decomposition products may include the following materials: carbon dioxide carbon monoxide

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 4/16

6. Accidental release measures

same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

Control

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|---|
| d-Limonene | AIHA WEEL (United States, 5/2018). TWA: 30 ppm 8 hours. |
| alpha-Pinene | ACGIH TLV (United States, 3/2018). Skin sensitizer. TWA: 20 ppm 8 hours. |
| Citral | ACGIH TLV (United States, 3/2018). Absorbed through skin. Skin sensitizer. TWA: 5 ppm 8 hours. Form: Inhalable fraction and vapor |

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Code # : 3149378 D8277069 NASDS# : D8277069 V1.0 **Date of issue** : 25/05/2020 5/16

8. Exposure controls/personal protection

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless

the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Considering the parameters specified by the glove manufacturer, check during use that

the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove

manufacturers. In the case of mixtures, consisting of several substances, the protection

time of the gloves cannot be accurately estimated.

Body protection: Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important

aspects of use.

9. Physical and chemical properties

Appearance

Physical state : Liquid.

Color : Colorless to Light Yellow

Odor : SAFFRON BOUQUET BALSAMIC FIR NEEDLE BOUQUET BROWN SUGAR

BOUQUET

Odor threshold : Not available.

pH : Not available.Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: 77.8°C (172°F) [ASTM D93 equivalent]

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : 1.026 to 1.036
Solubility : Not available.

Partition coefficient: n-

Auto-ignition temperature

octanol/water

: Not available.

: Not available.

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 6/16

9. Physical and chemical properties

Decomposition temperature: Not available. **Viscosity** : Not available.

Aerosol product

10. Stability and reactivity

Reactivity **Chemical stability** : No specific test data related to reactivity available for this product or its ingredients.

Possibility of hazardous

: The product is stable.

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Incompatible materials

Reactive or incompatible with the following materials:

oxidizing materials

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--------------------------------|-----------------------|---------|-------------------------|----------|
| Ethyl maltol | LD50 Dermal | Rabbit | >5 g/kg | - |
| | LD50 Oral | Rat | 1150 mg/kg | - |
| 4-tert-Butylcyclohexyl acetate | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 3550 mg/kg | - |
| Coumarin | LD50 Oral | Rat | 293 mg/kg | - |
| Eucalyptol | LD50 Oral | Rat | 2480 mg/kg | - |
| d-Limonene | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 4400 mg/kg | - |
| alpha-Pinene | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 3700 mg/kg | - |
| Linalyl acetate | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 13934 mg/kg | - |
| Lauric aldehyde | LD50 Oral | Rat | 23 g/kg | - |
| 2-Methylundecanal | LD50 Dermal | Rabbit | >10 g/kg | - |
| | LD50 Oral | Rat | >5 g/kg | - |
| Camphene | LC50 Inhalation Vapor | Rat | 17100 mg/m ³ | 1 hours |
| | LC50 Inhalation Vapor | Rat | 17100 mg/m ³ | 4 hours |
| | LD50 Oral | Rat | >5000 mg/kg | - |
| Eugenol | LD50 Oral | Rat | 1930 mg/kg | - |
| Citral | LD50 Dermal | Rabbit | 2250 mg/kg | - |
| | LD50 Oral | Rat | 3.45 g/kg | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

7/16 Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020

11. Toxicological information

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|----------------------------|-------------|-------|---------------------------|-------------|
| 4-tert-Butylcyclohexyl acetate | Skin - Mild irritant | Guinea pig | - | 4 hours 3 | - |
| | | | | Percent | |
| | Skin - Moderate irritant | Rabbit | - | 4 hours 100 | - |
| | | | | Percent | |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 | - |
| d Lineau and | Olain Milelianiteant | Dabbit | | milligrams | |
| d-Limonene | Skin - Mild irritant | Rabbit | - | 24 hours 10 Percent | - |
| alpha-Pinene | Skin - Severe irritant | Man | | 100 Percent | |
| aipria-rinerie | Skin - Moderate irritant | Rabbit | - | 24 hours 500 | _ |
| | Skiii - Moderate iiritarit | ιταυσιι | - | milligrams | _ |
| Linalyl acetate | Skin - Moderate irritant | Guinea pig | _ | 24 hours 100 | _ |
| Zinaryi doctato | Noderate intant | Cullion pig | | milligrams | |
| | Skin - Severe irritant | Rabbit | _ | 24 hours 100 | _ |
| | | | | milligrams | |
| Lauric aldehyde | Skin - Mild irritant | Human | - | 48 hours 5 | - |
| | | | | milligrams | |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 | - |
| | | | | milligrams | |
| Eugenol | Skin - Mild irritant | Human | - | 48 hours 40 | - |
| | | | | milligrams | |
| | Skin - Moderate irritant | Guinea pig | - | 24 hours 100 | - |
| | | | | milligrams | |
| | Skin - Moderate irritant | Man | - | 48 hours 16 | - |
| | Ckin Mild irritant | Dia | | milligrams 48 hours 50 | |
| | Skin - Mild irritant | Pig | - | milligrams | - |
| | Skin - Severe irritant | Rabbit | | 24 hours 100 | |
| | OKIII - Gevere iiritani | Rabbit | - | milligrams | |
| Citral | Skin - Moderate irritant | Guinea pig | _ | 48 hours 1 | _ |
| | | Sumou pig | | Percent | |
| | Skin - Severe irritant | Guinea pig | - | 24 hours 100 | _ |
| | | | | milligrams | |
| | Skin - Mild irritant | Human | - | 24 hours 40 | - |
| | | | | milligrams | |
| | Skin - Severe irritant | Man | - | 48 hours 16 | - |
| | | | | milligrams | |
| | Skin - Severe irritant | Pig | - | 48 hours 50 | - |
| | Older Manday 4 1 14 | Dabb'' | | milligrams | |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 | - |
| | Claim Covers invitor t | Dabbit | | milligrams | |
| | Skin - Severe irritant | Rabbit | - | 24 hours 100 milligrams | - |
| 0.0001001001000000000000000000000000000 | | | | miligrams | |

Conclusion/Summary

Skin : Based on available data, the classification criteria are not met.
 Eyes : Based on Calculation Method: Causes serious eye irritation.
 Respiratory : Based on available data, the classification criteria are not met.

Sensitization

Not available.

Conclusion/Summary

Skin : Based on Calculation method: May cause an allergic skin reaction.
 Respiratory : Based on available data, the classification criteria are not met.

11. Toxicological information

Mutagenicity

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

Conclusion/Summary : Based on ava

: Based on available data, the classification criteria are not met.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Coumarin | - | 3 | - |
| d-Limonene | - | 3 | - |
| Eugenol | - | 3 | - |

Reproductive toxicity

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

| Name | Result |
|--|--|
| d-Limonene de la company de la | ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 |

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

irritation watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Code # : 3149378_D8277069_NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 9/16

11. Toxicological information

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/ I) |
|---|------------------|-------------------|--------------------------------|----------------------------------|---|
| 3149378, FIL,AWICK,PHX ALPINE LE US TAK D8277068 EU | 5280.8 | N/A | N/A | 80.4 | N/A |
| 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde | 2500 | N/A | N/A | N/A | N/A |
| Ethyl maltol | 1150 | N/A | N/A | N/A | N/A |
| 4-tert-Butylcyclohexyl acetate Allyl (3-methylbutoxy)acetate Coumarin | 3550 | N/A | N/A | N/A | N/A |
| | 500 | N/A | N/A | N/A | N/A |
| | 500 | N/A | N/A | N/A | N/A |
| Eucalyptol d-Limonene | 2480 4400 | N/A N/A | N/A N/A | N/A N/A N/A | N/A N/A |
| alpha-Pinene | 500 | N/A | N/A | N/A | N/A |
| Linalyl acetate | 13934 | N/A | N/A | N/A | N/A |
| Lauric aldehyde 2-Methylundecanal Camphene | 23000 | N/A | N/A | N/A | N/A |
| | 500 | N/A | N/A | N/A | N/A |
| | N/A | N/A | N/A | 17.1 | N/A |
| Eugenol delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten- | 2500 | N/A | N/A | N/A | N/A |
| | 500 | N/A | N/A | N/A | N/A |
| 1-one Citral | 3450 | 2250 | N/A | N/A | N/A |

Code # : 3149378_D8277069_NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 10/16

12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|-------------------------------------|--|----------|
| Coumarin | Acute LC50 13500 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 56000 µg/l Fresh water | Fish - Poecilia reticulata | 96 hours |
| Eucalyptol | Acute LC50 102000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| d-Limonene | Acute EC50 421 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 688 µg/l Fresh water | Fish - Pimephales promelas - | 96 hours |
| | | Juvenile (Fledgling, Hatchling, | |
| | | Weanling) | |
| alpha-Pinene | Acute LC50 41000 μg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 5.28 mg/l Fresh water | Fish - Lepomis macrochirus | 96 hours |
| | Chronic NOEC 8800 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| Camphene | Acute EC50 214000 µg/l Marine water | Algae - Skeletonema costatum | 96 hours |
| | Acute LC50 22000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1.17 mg/l Fresh water | Fish - Lepomis macrochirus | 96 hours |
| Eugenol | Acute LC50 24000 µg/l Fresh water | Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------------|--------|--------|-----------|
| Ethyl maltol | 0.63 | - | low |
| 4-tert-Butylcyclohexyl acetate | 4.8 | - | high |
| Coumarin | 1.39 | - | low |
| Eucalyptol | 2.74 | - | low |
| d-Limonene | 4.38 | - | high |
| alpha-Pinene | 4.487 | - | high |
| Linalyl acetate | 3.9 | 173.9 | low |
| Camphene | 4.22 | 954.99 | high |
| Eugenol | 2.27 | - | low |
| Citral | 2.76 | 89.72 | low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered

Code # : 3149378_D8277069_NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 11/16

13. Disposal considerations

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

| | TDG Classification | DOT Classification | IMDG | IATA |
|----------------------------|--------------------|--------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - |
| Transport hazard class(es) | - | - | - | - |
| Packing group | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. |

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and

: Not available.

the IBC Code

15. Regulatory information

U.S. Federal regulations

Clean Air Act Section 112

: Not listed

(b) Hazardous Air

Pollutants (HAPs)

: Not listed

Clean Air Act Section 602 Class I Substances

Clean Air Act Section 602

: Not listed

Class II Substances

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

SARA 302/304

Composition/information on ingredients

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 **Date of issue** : 25/05/2020 12/16

15. Regulatory information

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : FLAMMABLE LIQUIDS - Category 4

EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1

Composition/information on ingredients

| Name | % | Classification |
|---|-------|---|
| 2,4-Dimethyl-3-cyclohexen- | 5-10 | FLAMMABLE LIQUIDS - Category 4 |
| 1-carboxaldehyde | | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | SKIN SENSITIZATION - Category 1B |
| Ethyl maltol | 1-5 | ACUTE TOXICITY (oral) - Category 4 |
| 4-tert-Butylcyclohexyl acetate | 1-5 | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| Alled (2) as other discrete as a set of a | 4.5 | SKIN SENSITIZATION - Category 1B |
| Allyl (3-methylbutoxy)acetate | 1-5 | FLAMMABLE LIQUIDS - Category 4 |
| | | ACUTE TOXICITY (oral) - Category 4 |
| Coursein | 4 5 | SKIN IRRITATION - Category 2 |
| Coumarin | 1-5 | ACUTE TOXICITY (oral) - Category 4 |
| hota Carvonhyllona | 1-5 | SKIN SENSITIZATION - Category 1B SKIN SENSITIZATION - Category 1B |
| beta-Caryophyllene | 1-5 | ASPIRATION HAZARD - Category 1 |
| Eucalyptol | 1-5 | FLAMMABLE LIQUIDS - Category 3 |
| Eucaryptor | 1-5 | SKIN SENSITIZATION - Category 1B |
| d-Limonene | 1-5 | FLAMMABLE LIQUIDS - Category 3 |
| u-Limonene | 1-3 | SKIN IRRITATION - Category 2 |
| | | SKIN SENSITIZATION - Category 1B |
| | | ASPIRATION HAZARD - Category 1 |
| alpha-Pinene | 1-5 | FLAMMABLE LIQUIDS - Category 3 |
| diprid i mene | | ACUTE TOXICITY (oral) - Category 4 |
| | | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | SKIN SENSITIZATION - Category 1B |
| | | ASPIRATION HAZARD - Category 1 |
| Linalyl acetate | 1-5 | FLAMMABLE LIQUIDS - Category 4 |
| , | | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2B |
| | | SKIN SENSITIZATION - Category 1B |
| Lauric aldehyde | 1-5 | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | SKIN SENSITIZATION - Category 1B |
| 2-Methylundecanal | 1-5 | FLAMMABLE LIQUIDS - Category 4 |
| | | ACUTE TOXICITY (oral) - Category 4 |
| | | SKIN IRRITATION - Category 2 |
| Camphene | 1-5 | FLAMMABLE SOLIDS - Category 2 |
| | | ACUTE TOXICITY (inhalation) - Category 4 |
| | | EYE IRRITATION - Category 2B |
| Eugenol | 0.1-1 | EYE IRRITATION - Category 2A |
| | | SKIN SENSITIZATION - Category 1B |
| delta-1-(2,6,6-Trimethyl- | 0.1-1 | ACUTE TOXICITY (oral) - Category 4 |
| 3-cyclohexen-1-yl)-2-buten-1-one | | SKIN IRRITATION - Category 2 |
| O'tI | | SKIN SENSITIZATION - Category 1A |
| Citral | 0.1-1 | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |

Code # : 3149378_D8277069_NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 13/16

15. Regulatory information

SKIN SENSITIZATION - Category 1B

State regulations

Massachusetts : The following components are listed: .alpha.-PINENE

New York : None of the components are listed.

New Jersey : The following components are listed: alpha-PINENE; BICYCLO[3.1.1]HEPT-2-ENE,

2,6,6-TRIMETHYL-

Pennsylvania : The following components are listed: BICYCLO[3.1.1]HEPT-2-ENE, 2,6,6-TRIMETHYL-;

PROPANOL, OXYBIS-

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

Label elements

CPSC

Signal word : CAUTION Hazard statements : EYE IRRITANT

Precautionary measures : KEEP OUT OF REACH OF CHILDREN AND PETS. Skin contact may cause an allergic

reaction. Avoid contact with eyes and skin. DO NOT ingest.

CCCR

Signal word : CAUTION Hazard statements : IRRITANT

MAY IRRITATE EYES

Precautionary measures : Skin contact may cause an allergic reaction. Avoid contact with eyes and skin. DO NOT

ingest.

KEEP OUT OF REACH OF CHILDREN AND PETS

Additional information / Recommendations

Additional information : Contains fragrance oils. If in eyes, rinse eyes with water. Remove any contact lenses

and continue to rinse eyes for at least 15 minutes. Wash hands after handling. If reaction develops, discontinue use immediately and get medical attention. If swallowed, DO NOT induce vomiting. Call a physician or Poison Control Center immediately. DO NOT use in small, confined pet areas or other areas without adequate ventilation.

Recommendations: People suffering from perfume sensitivity should be cautious when using this product.

Air fresheners aerosol (agueous, non agueous, concentrated (mini-aerosol)) for

consumer use

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 14/16

16. Other information

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability No known significant effects or critical hazards.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Date of issue : 25/05/2020

Date of previous issue : No previous validation

Version : 1.0

Prepared by : Reckitt Benckiser India Ltd

Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Code # : 3149378 D8277069 NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 15/16

16. Other information

RB is a member of the CSPA Product Care Product Stewardship Program.

Code # : 3149378_D8277069_NASDS # : D8277069 V1.0 Date of issue : 25/05/2020 16/16