

1. Product and Company Identification

Product Name Clearasil Stayclear Oil Free Daily Face Wash Sensitive Formula
UPC CODES Refer to Section 16
Product use Face wash
Manufacturer Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	



2. Hazards Identification

Emergency overview This product is regulated by the US FDA as a personal care cosmetic or over-the-counter drug. Extensive testing has been completed to show that it is safe and effective when used as directed.
WARNING
 CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Potential short term health effects

- Routes of exposure** Eye, Skin contact, Skin absorption, Inhalation, Ingestion.
- Eyes** Causes irritation.
- Skin** May cause irritation.
- Inhalation** May cause respiratory tract irritation.
- Ingestion** May cause stomach distress, nausea or vomiting.

Target organs Eyes. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Dodecanoic acid	143-07-7	2.5 - 10
Hexadecanoic acid	57-10-3	2.5 - 10
Octadecanoic acid	57-11-4	2.5 - 10
Potassium hydroxide	1310-58-3	2.5 - 10
Tetradecanoic acid	544-63-8	2.5 - 10
Glycerin	56-81-5	10 - 20
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt	137-16-6	10 - 20

4. First Aid Measures

First aid procedures

Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Skin contact	In case of skin irritation, discontinue use of product.
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by OSHA criteria.

Extinguishing media

Suitable extinguishing media Dry chemical. Alcohol foam. Carbon dioxide.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical Not available

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material.

Storage

Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Dodecanoic acid	ACGIH-TLV Not established OSHA-PEL Not established
Glycerin	ACGIH-TLV TWA: 10 mg/m ³ Mist: 10 mg/m ³ OSHA-PEL TWA: 15 mg/m ³
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt	ACGIH-TLV Not established OSHA-PEL Not established
Hexadecanoic acid	ACGIH-TLV TWA: 10 mg/m ³ OSHA-PEL TWA: 15 mg/m ³
Octadecanoic acid	ACGIH-TLV Not established OSHA-PEL Not established
Potassium hydroxide	ACGIH-TLV Ceiling: 2 mg/m ³ OSHA-PEL Not established
Tetradecanoic acid	ACGIH-TLV Mist: 5 mg/m ³ OSHA-PEL Not established

Engineering controls	Not normally required if good ventilation is maintained.
Personal protective equipment	
Eye / face protection	Not normally required.
Hand protection	Not required.
Skin and body protection	As required by employer code.
Respiratory protection	Not normally required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

9. Physical & Chemical Properties

Appearance	White pearlescent thick cream
Color	white
Form	Liquid
Odor	Odorless to slightly soapy
Odor threshold	Not available
Physical state	Liquid

pH	8.2 - 9.4 @ 20°C (68°F)
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flash point	> 93 °C (> 199.40 °F)
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	> 0.98 @ 20°C (68°F)
Octanol/water coefficient	Not available
Solubility (H2O)	Not available
Auto-ignition temperature	Not available
Viscosity	100,000-250,000 cps (Brookfield TF, helipath, 5 rpm, 60 sec @ 23°C)

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Caustics. Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Dodecanoic acid	Not available
Glycerin	> 2.28 Mg/L rat
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt	Not available
Hexadecanoic acid	Not available
Octadecanoic acid	Not available
Potassium hydroxide	Not available
Tetradecanoic acid	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Dodecanoic acid	10000 mg/kg rat
Glycerin	12600 mg/kg rat
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt	2000 mg/kg rat
Hexadecanoic acid	10000 mg/kg rat
Octadecanoic acid	5000 mg/kg rat
Potassium hydroxide	214 mg/kg rat
Tetradecanoic acid	10000 mg/kg rat

Effects of acute exposure

Eye	Causes irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.

Sensitization	Non-hazardous by OSHA criteria.
Chronic effects	Non-hazardous by OSHA criteria.
Carcinogenicity	Non-hazardous by OSHA criteria.
Mutagenicity	Non-hazardous by OSHA criteria.
Reproductive effects	Non-hazardous by OSHA criteria.
Teratogenicity	Non-hazardous by OSHA criteria.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Fish Species Data

Glycerin	56-81-5	96 Hr LC50 Oncorhynchus mykiss: 51000-57000 mg/L
Hexadecanoic acid	57-10-3	96 Hr LC50 Oryzias latipes: 150 mg/L
Potassium hydroxide	1310-58-3	24 Hr LC50 Gambusia affinis: 80.0 mg/L
Tetradecanoic acid	544-63-8	96 Hr LC50 Oryzias latipes: 118 mg/L [static]

Ecotoxicity - Water Flea Data

Glycerin	56-81-5	24 Hr EC50 Daphnia magna: >500 mg/L
Tetradecanoic acid	544-63-8	16 Hr EC50 Artemia salina: >27 mg/L

Environmental effects	Not available
Aquatic toxicity	Not available
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Partition coefficient	Not available
Mobility in environmental media	Not available
Chemical fate information	Not available

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Review federal, provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

Department of Transportation (DOT)
Not regulated as dangerous goods.

IATA
Not regulated as dangerous goods.

IMDG
Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG)
Not regulated as dangerous goods.

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Potassium hydroxide	1310-58-3	1000 Lb final RQ; 454 kg final RQ
---------------------	-----------	-----------------------------------

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

Potassium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Clean Air Act (CAA)	Not available
Clean Water Act (CWA)	Not available
Safe Drinking Water Act (SDWA)	Not available
Drug Enforcement Agency (DEA)	Not available
Food and Drug Administration (FDA)	Not available
State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Potassium hydroxide 1310-58-3 Present

U.S. - Louisiana - Reportable Quantity List for Pollutants

Potassium hydroxide 1310-58-3 1000 Lb final RQ; 454 kg final RQ

U.S. - Massachusetts - Right To Know List

Glycerin 56-81-5 Present (mist)

Potassium hydroxide 1310-58-3 Present

U.S. - Minnesota - Hazardous Substance List

Glycerin 56-81-5 Present (mist, dust)

Potassium hydroxide 1310-58-3 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Potassium hydroxide 1310-58-3 sn 1571

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Potassium hydroxide 1310-58-3 1000 Lb RQ (air); 100 lb RQ (land/water)

U.S. - Pennsylvania - RTK (Right to Know) List

Glycerin 56-81-5 Present

Potassium hydroxide 1310-58-3 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Glycerin 56-81-5 Toxic (mist); Flammable (mist)

Potassium hydroxide 1310-58-3 Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Recommended use

For external use only. If excessive skin irritation develops or increases, discontinue use.

Further information

UPC CODES: 39977-00501 FORMULA NUMBER: 1376/18 ITEM CODE: 0133914

Issue date

30-Apr-2008

Effective date

30-Apr-2008

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899