

### MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Product Name EASY-OFF® Fume Free Oven Cleaner - Aerosol

CAS # Mixture

This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).

This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulation.

Product Use Oven cleaner

Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





### 2. Hazards Identification

Emergency overview CAUTION

EYE IRRITANT.

Contents under pressure. DO NOT get in eyes.

Wash hands after application and removal. Do not puncture or incinerate container.

DO NOT expose to heat or store at temperatures above 120°F (49°C).

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.

**Eyes** Moderately irritating to the eyes.

**Skin** None expected during normal conditions of use.

**Inhalation** Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

IngestionHealth injuries are not known or expected under normal use.Target organsEyes. Respiratory system. Skin. Gastrointestinal tract. Liver.Chronic effectsThe finished product is not expected to have chronic health effects.

Signs and symptoms irritation

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Potential environmental effects See section 12.

3. Composition / Inform	nation on Ingredients
-------------------------	-----------------------

Ingredient(s)	CAS#	Percent
Potassium carbonate	584-08-7	2.5 - 10
Diethylene glycol monobutyl ether	112-34-5	2.5 - 10
Isobutane	75-28-5	2.5 - 10
Monoethanolamine	141-43-5	2.5 - 10

### 4. First Aid Measures

First aid procedures

Eye contact If in eyes, IMMEDIATELY rinse eyes with water, remove any contact lenses and continue

rinsing eyes for at least 15 minutes. If irritation persists, get medical attention.

In case of skin contact, immediately flush exposed area with plenty of water for at least Skin contact

15 minutes

Remove any contaminated clothing and wash thoroughly with soap and water.

Get immediate medical attention if irritation persists.

Remove to fresh air. Inhalation

> NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit

If swallowed, DO NOT induce vomiting, call a Poison Control Center or physician Ingestion

immediately. Rinse mouth out with water.

Notes to physician

Treat patient symptomatically. General advice

Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep away from sources of

ignition. No smoking. Keep out of reach of children.

# 5. Fire Fighting Measures

Aerosol flame extension less than 18 inches (45 cm). Flammable properties

NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

Extinguishing media

Suitable extinguishing media Treat for surrounding material.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

**Hazardous combustion products** 

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Some metallic

oxides.

**Explosion data** 

Sensitivity to mechanical impact Not available Sensitivity to static discharge Not available

### 6. Accidental Release Measures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not Personal precautions

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Do not discharge into lakes, streams, ponds or public waters. **Environmental precautions** 

Advise authorities if product has penetrated drains, sewers or water pipes.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Met	hods	s for	clea	anin	g up
IVICE	· · · · · · ·	, , ,	CIC	411111	g up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

## 7. Handling and Storage

**Handling** Ensure adequate ventilation.

Contents under pressure.

Do not puncture or incinerate container. Use according to package label instructions. Avoid contact with eyes. Do not breathe fumes.

Be sure to point arrow towards directions dot and away from face. Keep away from open flames, hot surfaces and sources of ignition.

Wash hands after handling and before eating.

Do not spray on pilot light, electrical connections, switch, heating elements, or

thermostats.

Do not spray onto aluminum or painted surfaces as damage to these surfaces may occur.

Do not use on microwave, convection or continuous-cleaning ovens.

Do not use on grill exterior, interior or components.

Storage Keep out of reach of children.

Do not store at temperatures above 49 °C (120.2°F). Avoid freezing to prevent bursting of the container. Store away from direct sunlight and incompatible materials.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

## 8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)	Exposure Limits	
Potassium carbonate	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Diethylene glycol monobutyl ether	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Isobutane	ACGIH-TLV	
	TWA: 1000 ppm	
	OSHA-PEL	
	Not established	
Monoethanolamine	ACGIH-TLV	
	TWA: 3 ppm	
	STEL: 6 ppm	
	OSHA-PEL	
	TWA: 3 ppm	

### **Engineering controls**

Personal protective equipment

General ventilation normally adequate.

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

### Eye / face protection

Avoid contact with eyes. Tightly fitting safety goggles

Hand protection No special requirements under normal use conditions.

Protective gloves are recommended for prolonged or repeated exposure.

Follow label directions carefully. Skin and body protection

Usual safety precautions while handling the product will provide adequate

protection against injury or irritation.

Not normally required under normal use conditions. Respiratory protection

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Avoid contact with skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

# 9. Physical and Chemical Properties

Foamy spray **Appearance** Color Light tan to White.

Aerosol Form Odor Lemon Odor threshold Not available

Gas Physical state 12.5 pН

Not available Freezing point **Boiling point** Not applicable Not available Pour point Not available **Evaporation rate** 

> 199.94 °F (> 93.3 °C) (Concentrate) Flash point

**Auto-ignition temperature** Flammability limits in air, lower, % by volume

Not available

Flammability limits in air, upper, %

by volume

Not available

Not available

Vapor pressure Not determined Not determined Vapor density Specific gravity 0.994 - 1.07Octanol/water coefficient Not available Complete Solubility (H2O) Not available Viscosity

# 10. Stability and Reactivity

Reacts vigorously with acids. Reactivity

Possibility of hazardous reactions Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not spray on pilot light, electrical connections, switch, heating elements, or

thermostats.

Do not spray onto aluminum or painted surfaces as damage to these surfaces may occur.

Do not use on grill exterior, interior or components.

Temperatures above 50°C. Do not mix with other chemicals.

Do not freeze.

Excessive heat and moisture.

Incompatible materials

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Some metallic Hazardous decomposition products

oxides.

11. Toxicological Inform
--------------------------

Component analysis - LC50	
Ingredient(s)	LC50
Potassium carbonate	Not available
Diethylene glycol monobutyl ether	Not available
Isobutane	658 mg/l/4h rat
Monoethanolamine	1210 mg/m3 mouse
Component analysis - Oral LD50	
Ingredient(s)	LD50
Potassium carbonate	1870 mg/kg rat; 2570 mg/m3 mouse
Diethylene glycol monobutyl ether	2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit
Isobutane	Not available
Monoethanolamine	1720 mg/kg rat; 700 mg/kg mouse

Effects of acute exposure

**Eye** Moderately irritating to the eyes.

**Skin** None expected during normal conditions of use.

**Inhalation** Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Ingestion
Health injuries are not known or expected under normal use.

Sensitization
The finished product is not expected to have chronic health effects.
Chronic effects
The finished product is not expected to have chronic health effects.

Carcinogenicity
The finished product is not expected to have chronic health effects.

Mutagenicity
The finished product is not expected to have chronic health effects.

Reproductive effects
The finished product is not expected to have chronic health effects.

Teratogenicity
The finished product is not expected to have chronic health effects.

Name of Toxicologically Synergistic Not available

**Products** 

# 12. Ecological Information

**Ecotoxicity**Components of this product have been identified as having potential environmental concerns.

**Ecotoxicity - Freshwater Algae - Acute Toxicity Data** 

Diethylene glycol monobutyl ether 112-34-5 96 Hr EC50 Desmodesmus subspicatus: >100 mg/L 72 Hr EC50 Desmodesmus subspicatus: 15 mg/L

**Ecotoxicity - Freshwater Fish - Acute Toxicity Data** 

Diethylene glycol monobutyl ether 112-34-5 96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]

Monoethanolamine

141-43-5

96 Hr LC50 Pimephales promelas: 227 mg/L [flow-through]; 96 Hr LC50 Brachydanio rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96

Hr LC50 Oncorhynchus mykiss: 114-196 mg/L [static]; 96 Hr LC50 Oncorhynchus

mykiss: >200 mg/L [flow-through]

**Ecotoxicity - Water Flea - Acute Toxicity Data** 

Diethylene glycol monobutyl ether 112-34-5 24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L

Monoethanolamine 141-43-5 48 Hr EC50 Daphnia magna: 65 mg/L

Persistence / degradability

Bioaccumulation / accumulation

Mobility in environmental media

Environmental effects

Aquatic toxicity

Partition coefficient

Chemical fate information

Not available

Not available

Not available

13. Disposal Considerations	
Disposal instructions	Dispose in accordance with all applicable regulations.  Empty container can be disposed of as household trash or rinsed and recycled where appropriate.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

### **U.S. Department of Transportation (DOT)**

UN 1950, Aerosols, flammable, Class 2.1, Limited Quantity

### **Transportation of Dangerous Goods (TDG - Canada)**

UN 1950, Aerosols, flammable, Class 2.1, Limited Quantity

**IMDG (Marine Transport)** 

UN 1950, Aerosols, flammable, Class 2.1, Limited Quantity

# 15. Regulatory Information

### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

Yes

chemical

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Product Registration: Product is compliant with CPSC regulatory guidelines; a specific

registration is not required for this product.

### U.S. - CAA (Clean Air Act) - Accidental Release Prevention - Flammable Substances

Isobutane 75-28-5 10000 lb threshold quantity

U.S. - CAA (Clean Air Act) - HON Rule - SOCMI Chemicals

Diethylene glycol monobutyl ether 112-34-5 Group I

Monoethanolamine 141-43-5 Group I

U.S. - CAA (Clean Air Act) - Reactivity Factors for VOCs in Aerosol Coatings

Diethylene glycol monobutyl ether 112-34-5 2.70 G Ozone/g VOC Reactivity Factor Isobutane 75-28-5 1.35 G Ozone/g VOC Reactivity Factor Monoethanolamine 141-43-5 5.97 G Ozone/g VOC Reactivity Factor

U.S. - CAA (Clean Air Act) - SNAP Program Listing of Substitutes for ODSs

Isobutane 75-28-5 Acceptable substitute for: 6

U.S. - CAA (Clean Air Act) - Volatile Organic Compounds (VOCs) in SOCMI

Diethylene glycol monobutyl ether 112-34-5 Present

Monoethanolamine 141-43-5 Present (listed under Ethanolamines)

### **CERCLA (Superfund) reportable quantity**

None

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely N

hazardous substance

Section 311 hazardous chemical No

Clean Water Act (CWA) Not available

This product is not subject to warning labeling under the California Proposition 65 regulation.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Monoethanolamine 141-43-5 Present

U.S. - Illinois - Toxic Air Contaminants

Monoethanolamine 141-43-5 Present

U.S. - Massachusetts - Right To Know List

Isobutane 75-28-5 Present Monoethanolamine 141-43-5 Present

U.S. - Minnesota - Hazardous Substance List

Monoethanolamine 141-43-5 Present U.S. - New Jersey - Right to Know Hazardous Substance List Isobutane 75-28-5 sn 1040 Monoethanolamine 141-43-5 sn 0835

U.S. - Pennsylvania - RTK (Right to Know) List

Isobutane 75-28-5 Present Monoethanolamine 141-43-5 Present

U.S. - Rhode Island - Hazardous Substance List

Monoethanolamine 141-43-5 Toxic; Flammable

Inventory status

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Ye

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### 16. Other Information

**Disclaimer** This product should only be used as directed on the label and for the purpose intended.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only

hazards that exist.

Further information EASY-OFF® Fume Free Oven Cleaner - Aerosol - 14.5/16 oz. - 363915v6.0

Issue date28-May-2013Effective date15-May-2013

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.