


1. Product and Company Identification

**Product Name** Clearasil Ultra Daily Face Wash  
**UPC CODES** Refer to Section 16  
**CAS #** Mixture  
**Product use** Face wash  
**Distributed by** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-338-6167  
 Transportation Emergencies: 24 Hour Number:  
 North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	



2. Hazards Identification

**Emergency overview**

This product is regulated by the US FDA as an over-the-counter, monograph drug.  
 Warnings: For external use only.  
 Do not use if you have very sensitive skin.  
 Avoid contact with eyes, lips and mouth. If product gets into the eyes, rinse thoroughly with water.  
 Avoid contact with hair or dyed fabrics, including carpet and clothing which may be bleached by this product.  
 Use with other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin. If this occurs, only one acne medication should be used unless directed by your doctor.  
 Limit use to the face and neck.  
 Skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. More frequent use or higher concentrations may aggravate skin irritation. Mild irritation may be reduced by using the product less frequently or in a lower concentration.  
 Stop use and ask a doctor if skin irritation become severe.  
 In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.

KEEP OUT OF REACH OF CHILDREN.

**Potential short term health effects**

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.  
**Eyes** Avoid contact with eyes.  
 May cause eye irritation.  
**Skin** Unlikely to cause skin irritation.  
 Not expected to be a skin sensitizer.  
**Inhalation** Unlikely to cause irritation due to inhalation.  
**Ingestion** Ingestion may cause gastrointestinal irritation.  
**Target organs** Eyes. Skin.  
**Chronic effects** The finished product is not expected to have chronic health effects.  
**Signs and symptoms** Symptoms may include redness, edema, drying, defatting and cracking of the skin.  
**OSHA Regulatory Status** This acne product is in compliance with Title 21 of the Code of Federal Regulations, Part 207 and meets the regulatory requirements outlined in the OTC Monograph under 21 CFR Part 333.

### 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
1,2-Propanediol	57-55-6	2.5 - 10
Aluminum hydroxide	21645-51-2	2.5 - 10
Benzoyl peroxide	94-36-0	2.5 - 10
Octadecanoic acid, ester with 1,2,3-propanetriol	11099-07-3	2.5 - 10
Polyethylene glycol	25322-68-3	2.5 - 10
Crystalline silica	14808-60-7	0.1 - 1
Tetradecanoic acid, 1-methylethyl ester	110-27-0	0.1 - 1

### 4. First Aid Measures

#### First aid procedures

<b>Eye contact</b>	If product gets into the eyes, rinse thoroughly with water. Stop use and ask a doctor if eye irritation develops.
<b>Skin contact</b>	Stop use and ask a doctor if skin irritation become severe.
<b>Inhalation</b>	Remove to fresh air if inhalation causes eye watering, headaches, dizziness or other discomfort.
<b>Ingestion</b>	In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.

#### Notes to physician

Treat patient symptomatically.

#### General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep out of reach of children.

### 5. Fire Fighting Measures

<b>Flammable properties</b>	Not flammable by OSHA criteria.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water spray. Dry chemical. Alcohol foam. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Not available
<b>Protection of firefighters</b>	
<b>Specific hazards arising from the chemical</b>	Not available
<b>Protective equipment for firefighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	Not available
<b>Sensitivity to static discharge</b>	Not available

### 6. Accidental Release Measures

<b>Personal precautions</b>	Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
<b>Environmental precautions</b>	Do not discharge into lakes, streams, ponds or public waters.
<b>Methods for containment</b>	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for cleaning up</b>	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

## 7. Handling and Storage

<b>Handling</b>	For external use only. Avoid contact with eyes, lips and mouth. When using do not eat or drink.
<b>Storage</b>	Keep out of reach of children. Keep in cool, dry, ventilated storage. Room temperature - normal conditions. Keep from freezing.

## 8. Exposure Controls / Personal Protection

### Exposure limits

Ingredient(s)	Exposure Limits
1,2-Propanediol	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Aluminum hydroxide	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> TWA: 15 mg/m3
Benzoyl peroxide	<b>ACGIH-TLV</b> TWA: 5 mg/m3 <b>OSHA-PEL</b> TWA: 5 mg/m3
Crystalline silica	<b>ACGIH-TLV</b> TWA: 0.1 mg/m3 <b>OSHA-PEL</b> TWA: 0.1 mg/m3
Octadecanoic acid, ester with 1,2,3-propanetriol	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Polyethylene glycol	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Tetradecanoic acid, 1-methylethyl ester	<b>ACGIH-TLV</b> Mist: 5 mg/m3 <b>OSHA-PEL</b> Not established

<b>Engineering controls</b>	Not normally required.
<b>Personal protective equipment</b>	
<b>Eye / face protection</b>	Not normally required under normal use conditions. When handling in large quantities or responding to emergency situations, the use of appropriate eye protection is recommended.
<b>Hand protection</b>	Not required. When handling in large quantities or responding to emergency situations, the use of appropriate eye protection is recommended.
<b>Skin and body protection</b>	No special requirements under normal use conditions.
<b>Respiratory protection</b>	Not normally required under normal use conditions.

**General hygiene considerations** Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Glossy Creamy
<b>Color</b>	White Pearlescent
<b>Form</b>	Liquid
<b>Odor</b>	Slight characteristic
<b>Odor threshold</b>	Not available
<b>Physical state</b>	Liquid
<b>pH</b>	6.3 - 7.9
<b>Freezing point</b>	Not available
<b>Boiling point</b>	Not available
<b>Pour point</b>	Not available
<b>Evaporation rate</b>	Not available
<b>Flash point</b>	Not available
<b>Auto-ignition temperature</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability limits in air, upper, % by volume</b>	Not available
<b>Vapor pressure</b>	Not available
<b>Vapor density</b>	Not available
<b>Specific gravity</b>	1.0 - 1.13
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Soluble/Miscible
<b>VOC (Weight %)</b>	Not available
<b>Percent volatile</b>	Not available

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with strong acids.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.
<b>Incompatible materials</b>	Acids. Oxidizers. Caustics.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

---

## 11. Toxicological Information

---

### Component analysis - LC50

<b>Ingredient(s)</b>	<b>LC50</b>
1,2-Propanediol	Not available
Aluminum hydroxide	Not available
Benzoyl peroxide	Not available
Crystalline silica	Not available
Octadecanoic acid, ester with 1,2,3-propanetriol	Not available
Polyethylene glycol	Not available
Tetradecanoic acid, 1-methylethyl ester	Not available

---

**Component analysis - Oral LD50**

<b>Ingredient(s)</b>	<b>LD50</b>
1,2-Propanediol	14800 mg/kg rabbit; 20000 mg/kg rat
Aluminum hydroxide	5000 mg/kg rat
Benzoyl peroxide	7710 mg/kg rat; 5700 mg/kg mouse
Crystalline silica	500 mg/kg rat
Octadecanoic acid, ester with 1,2,3-propanetriol	Not available
Polyethylene glycol	Not available
Tetradecanoic acid, 1-methylethyl ester	10000 mg/kg rat

**Effects of acute exposure**

<b>Eye</b>	Avoid contact with eyes. May cause eye irritation.
<b>Skin</b>	Unlikely to cause skin irritation. Not expected to be a skin sensitizer.
<b>Inhalation</b>	Unlikely to cause irritation due to inhalation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.

**ACGIH - Threshold Limit Values - Carcinogens**

Benzoyl peroxide	94-36-0	A4 - Not Classifiable as a Human Carcinogen
Crystalline silica	14808-60-7	A2 - Suspected Human Carcinogen

**IARC - Group 1 (Carcinogenic to Humans)**

Crystalline silica	14808-60-7	Monograph 100C [in preparation] (listed under Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources); Monograph 68 [1997]
--------------------	------------	--

**IARC - Group 3 (Not Classifiable)**

Benzoyl peroxide	94-36-0	Monograph 71 [1999]; Supplement 7 [1987]; Monograph 36 [1985]
------------------	---------	---

**NTP (National Toxicology Program) - Report on Carcinogens - Known Human Carcinogens**

Crystalline silica	14808-60-7	Known Human Carcinogen
--------------------	------------	------------------------

**U.S. - California - Proposition 65 - Carcinogens List**

Crystalline silica	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)
--------------------	------------	--

<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Name of Toxicologically Synergistic Products</b>	Not available

## 12. Ecological Information

<b>Ecotoxicity</b>	Components of this product have been identified as having potential environmental concerns.
--------------------	---

**Ecotoxicity - Freshwater Algae - Acute Toxicity Data**

1,2-Propanediol	57-55-6	96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L
Tetradecanoic acid, 1-methylethyl ester	110-27-0	72 Hr EC50 Desmodesmus subspicatus: >100 mg/L

**Ecotoxicity - Freshwater Fish - Acute Toxicity Data**

1,2-Propanediol	57-55-6	96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/L
Polyethylene glycol	25322-68-3	24 Hr LC50 Carassius auratus: >5000 mg/L (PEG 200, 400, 800)
Tetradecanoic acid, 1-methylethyl ester	110-27-0	96 Hr LC50 Brachydanio rerio: 8400 mg/L [semi-static]; 96 Hr LC50 Brachydanio rerio: 8400 mg/L

**Ecotoxicity - Water Flea - Acute Toxicity Data**

1,2-Propanediol	57-55-6	24 Hr EC50 Daphnia magna: >10000 mg/L; 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]
Tetradecanoic acid, 1-methylethyl ester	110-27-0	48 Hr EC50 Daphnia magna: 100 mg/L

<b>Persistence / degradability</b>	Not available
<b>Bioaccumulation / accumulation</b>	Not available
<b>Mobility in environmental media</b>	Not available

<b>Environmental effects</b>	Not available
<b>Aquatic toxicity</b>	Not available
<b>Partition coefficient</b>	Not available
<b>Chemical fate information</b>	Not available

---

### 13. Disposal Considerations

---

<b>Disposal instructions</b>	Review federal, provincial, and local government requirements prior to disposal.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

### 14. Transport Information

---

<b>UN/ID N.o.</b>	Not applicable
<b>U.S. Department of Transportation (DOT): Classification:</b> Not regulated	
<b>Proper shipping name</b>	Not applicable
<b>U.S. DOT Hazard Class</b>	Not applicable
<b>Subsidiary Risk</b>	Not applicable
<b>Packing group</b>	Not applicable
<b>DOT RQ (lbs)</b>	Not applicable
<b>ERG NO</b>	Not applicable

<b>Transportation of Dangerous Goods (TDG - Canada): Classification:</b> Not regulated	
<b>Proper shipping name</b>	Not applicable
<b>Status</b>	Not applicable
<b>Packing group</b>	Not applicable

**IMDG (Marine Transport): Classification:** Not regulated

Proper shipping name	Not applicable
Class	Not applicable
Subsidiary Risk	Not applicable
Packing group	Not applicable
IMDG Page	Not applicable
Marine pollutant	Not applicable
EMS	Not applicable
MFAG	Not applicable
Maximum Quantity	Not applicable

**IATA/ICAO (Air): Classification:** Not regulated

Proper shipping name	Not applicable
Class	Not applicable
Subsidiary Risk:	Not applicable
Packing group	Not applicable
Maximum Quantity	Not applicable

---

## 15. Regulatory Information

---

**Occupational Safety and Health Administration (OSHA)**

29 CFR 1910.1200 hazardous chemical Yes

**US Federal regulations**

This acne product is in compliance with Title 21 of the Code of Federal Regulations, Part 207 and meets the regulatory requirements outlined in the OTC Monograph under 21 CFR Part 333.

Product Registration: Not Registered

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

Benzoyl peroxide 94-36-0 1.0 % de minimis concentration

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Hazardous substance

**State regulations**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances**

Benzoyl peroxide 94-36-0 Present

**U.S. - California - Proposition 65 - Carcinogens List**

Crystalline silica 14808-60-7 carcinogen, initial date 10/1/88 (airborne particles of respirable size)

**U.S. - Illinois - Toxic Air Contaminant Carcinogens**

Crystalline silica 14808-60-7 ACGIH Carcinogen

**U.S. - Massachusetts - Right To Know List**

Benzoyl peroxide 94-36-0 Present

Crystalline silica 14808-60-7 Carcinogen; Extraordinarily hazardous

**U.S. - Minnesota - Hazardous Substance List**

1,2-Propanediol 57-55-6 Present

Benzoyl peroxide 94-36-0 Present

Crystalline silica 14808-60-7 Carcinogen

Polyethylene glycol 25322-68-3 Present

**U.S. - New Jersey - Right to Know Hazardous Substance List**

1,2-Propanediol 57-55-6 sn 3595

Benzoyl peroxide 94-36-0 sn 0215

Crystalline silica 14808-60-7 sn 1660

**U.S. - Pennsylvania - RTK (Right to Know) List**

1,2-Propanediol 57-55-6 Present

Benzoyl peroxide 94-36-0 Environmental hazard

Crystalline silica 14808-60-7 Present (dust)

**U.S. - Rhode Island - Hazardous Substance List**

1,2-Propanediol 57-55-6 Flammable

Benzoyl peroxide 94-36-0 Toxic; Flammable

Crystalline silica 14808-60-7 Toxic (dust and fiber)

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

## 16. Other Information

**Disclaimer**

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Further information**

39977-00805-0 - 1oz. - Clearasil Ultra Daily Face Wash - 0279482

**Issue date**

17-Aug-2011

**Effective date**

15-Aug-2011

**Prepared by**

Reckitt Benckiser Regulatory Department 800-333-3899

**Other information**

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.