

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name LYSOL® No Mess Automatic

Mixture

CAS#

LYSOL® No Mess Automatic Toilet Bowl Cleaner Complete Clean - All Scents

This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).

This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulation.

Product Use Toilet bowl cleaner

Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225


Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview

WARNING

EYE AND SKIN IRRITANT.

Causes severe eye and skin irritation. Do not get in eyes, on skin or on clothing.

Wash hands after handling.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

EyesSevere eye irritant.SkinIrritating to skin.

Not expected to be a skin sensitizer.

Inhalation None expected during normal conditions of use.

Ingestion Health injuries are not known or expected under normal use.

May be harmful if swallowed. Skin. Eyes. Respiratory system.

Target organs Skin. Eyes. Respiratory system.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms

Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

Potential environmental effects Components of this product have been identified as having potential

environmental concerns.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Sodium alkylbenzene sulfonate	68411-30-3	20 - 40
Proprietary fragrance	Mixture	2.5 - 10
Amorphous silica, precipitated	112926-00-8	1 - 2.5
Sodium carbonate	497-19-8	1 - 2.5
Titanium oxide	13463-67-7	0.1 - 1

4. First Aid Measures

First aid procedures

Notes to physician

Eye contact If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and

continue rinsing eyes for at least 15 minutes. If irritation persists, get medical attention.

Skin contact If on skin, wash with soap and water. If irritation persists, get medical attention.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion If swallowed, call a Poison Control Center or doctor immediately. DO NOT induce

vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician or Poison Control Center immediately. Rinse mouth with water.

Treat patient symptomatically.

General advice Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the

label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties Not flammable by OSHA criteria.

Extinguishing media

Suitable extinguishing media Treat for surrounding material.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from Not available

the chemical

Protective equipment for Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

firefighters

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Explosion data

Sensitivity to mechanical impact Not available
Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautionsKeep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective

lothing Kon popularity from and unitial disciplinate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions Do not discharge into lakes, streams, ponds or public waters.

Advise authorities if product has penetrated drains, sewers or water pipes.

Methods for containment Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum

to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services

and supplier for advice.

7. Handling and Storage

Handling Ensure adequate ventilation.

Do not get in eyes, on skin or on clothing.

Do not ingest.

Use good industrial hygiene practices in handling this material.

When using do not eat or drink.

Wash thoroughly with soap and water after handling. Read and follow product label for instructions.

Store in a cool dry place inaccessible to children and pets.

Store at room temperature. Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)	Exposure Limits	
Amorphous silica, precipitated	ACGIH-TLV	
	TWA: 10 mg/m3	
	OSHA-PEL	
	TWA: 6 mg/m3	
Proprietary fragrance	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Sodium alkylbenzene sulfonate	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Sodium carbonate	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Titanium oxide	ACGIH-TLV	
	TWA: 10 mg/m3	
	OSHA-PEL	
	TWA: 15 mg/m3	

Engineering controls

Storage

Personal protective equipment

General ventilation normally adequate.

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or

prolonged exposure.

Eye / face protection Hand protection Wear safety glasses with side shields. Wear suitable protective clothing.

Emergency responders should wear impermeable gloves.

Skin and body protection

As required by employer code. Usual safety precautions while handling the product will provide adequate protection against injury or irritation. Follow label

directions carefully.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Solid. **Appearance** Violet Color

Yellow Blue

Form Blocks Odor Lavender

Citrus Marine

Not available Odor threshold

Solid Physical state 8 - 10 рH

Freezing point Not available Not available **Boiling point** Pour point Not available Not available **Evaporation rate**

> 200 °F (> 93.33 °C) Flash point

Auto-ignition temperature Flammability limits in air, lower, %

by volume

Not available Not available

Flammability limits in air, upper, %

by volume

Not available

Not available Vapor pressure Not available Vapor density Not available Specific gravity Octanol/water coefficient Not available Complete Solubility (H2O) VOC (Weight %) Not available Not available **Viscosity** Not available Percent volatile

10. Stability and Reactivity

This product may react with strong acids. Reactivity Possibility of hazardous reactions Hazardous polymerization does not occur. Stable under recommended storage conditions. Chemical stability

Conditions to avoid

DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Incompatible materials Oxidizers. Acids.

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

11. Toxicological Information

Component analysis - LC50 Ingredient(s) **LC50** Amorphous silica, precipitated > 2 Mg/L rat Proprietary fragrance Not available Sodium alkylbenzene sulfonate Not available Sodium carbonate 400 mg/m3 guinea pig Titanium oxide Not available

Component analysis - Oral LD50

Ingredient(s)

9	2200	
Amorphous silica, precipitated	31600 mg/kg rat	
Proprietary fragrance	Not available	
Sodium alkylbenzene sulfonate	404 mg/kg rat	
Sodium carbonate	4090 mg/kg rat	
Titanium oxide	24000 mg/kg rat	

LD50

Effects of acute exposure

Skin Severe eye irritant.

Skin Irritating to skin.

Not expected to be a skin sensitizer.

Inhalation None expected during normal conditions of use.

Ingestion Health injuries are not known or expected under normal use.

May be harmful if swallowed.

Sensitization
The finished product is not expected to have chronic health effects.
Chronic effects
The finished product is not expected to have chronic health effects.
Carcinogenicity
The finished product is not expected to have chronic health effects.
Mutagenicity
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

Ecotoxicity See below

Ecotoxicity - Freshwater Algae - Acute Toxicity Data

Sodium alkylbenzene sulfonate 68411-30-3 96 Hr EC50 Desmodesmus subspicatus: 9 mg/L; 72 Hr EC50 Pseudokirchneriella

subcapitata: 11 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 4.29 - 12.5 mg/L

Sodium carbonate 497-19-8 120 Hr EC50 Nitzschia: 242 mg/L

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Sodium alkylbenzene sulfonate 68411-30-3 96 Hr LC50 Brachydanio rerio: 5.1 mg/L [flow-through]; 96 Hr LC50 Brachydanio rerio:

0.6-1.9 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: 2.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.7 mg/L [static]; 96 Hr LC50 Pimephales promelas: 3.4

mg/L; 96 Hr LC50 Oncorhynchus mykiss: 3.8-6.6 mg/L [static]

Sodium carbonate 497-19-8 96 Hr LC50 Lepomis macrochirus: 300 mg/L [static]; 96 Hr LC50 Pimephales

promelas: 310 - 1220 mg/L [static]

Ecotoxicity - Water Flea - Acute Toxicity Data

Sodium alkylbenzene sulfonate 68411-30-3 48 Hr EC50 Daphnia magna: 0.63 mg/L Sodium carbonate 497-19-8 48 Hr EC50 Daphnia magna: 265 mg/L

Persistence / degradability

Bioaccumulation / accumulation

Mobility in environmental media

Environmental effects

Aquatic toxicity

Partition coefficient

Chemical fate information

Not available

Not available

Not available

Not available

13. Disposal Considerations

Disposal instructionsReview federal, state/provincial, and local government requirements prior to disposal.

Discard with solid waste.

products

Contaminated packaging

Not available

14. Transport Information

UN/ID N.o. Not applicable

U.S. Department of Transportation (DOT): Classification: Not regulated

Proper shipping name Not applicable
U.S. DOT Hazard Class Not applicable
Subsidiary Risk Not applicable
Packing group Not applicable

DOT RQ (lbs) Not applicable ERG NO Not applicable

Transportation of Dangerous Goods (TDG - Canada): Classification: Not regulated

Proper shipping name Not applicable
Status Not applicable
Packing group Not applicable

IMDG (Marine Transport): Classification: Not regulated

Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk Not applicable
Packing group Not applicable
IMDG Page Not applicable

Marine pollutantNot applicableEMSNot applicable

MFAG Not applicable
Maximum Quantity Not applicable

IATA/ICAO (Air): Classification: Not regulated

Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk: Not applicable
Packing group Not applicable

Maximum Quantity Not applicable

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US Federal regulations**

Standard, 29 CFR 1910.1200.

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical No

Clean Air Act (CAA) Not available

Hazardous substance Clean Water Act (CWA)

This product does not contain a chemical known to the State of California to cause State regulations

cancer, birth defects or other reproductive harm.

U.S. - Illinois - Toxic Air Contaminant Carcinogens

Titanium oxide 13463-67-7 IARC 2B Carcinogen

U.S. - Massachusetts - Right To Know List

Amorphous silica, precipitated 112926-00-8 Present Titanium oxide 13463-67-7 Present

U.S. - Minnesota - Hazardous Substance List

Amorphous silica, precipitated 112926-00-8 Present (dust, amorphous, gel and precipitated)

Titanium oxide 13463-67-7 Present (dust) U.S. - New Jersey - Right to Know Hazardous Substance List Amorphous silica, precipitated 112926-00-8 sn 3510 Titanium oxide 13463-67-7 sn 1861

U.S. - Pennsylvania - RTK (Right to Know) List

Amorphous silica, precipitated 112926-00-8 Present Titanium oxide 13463-67-7 Present

U.S. - Rhode Island - Hazardous Substance List

Titanium oxide 13463-67-7 Toxic

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#23073 Page 7 of 8 Issue date 18-Sep-2012

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information LYSOL® No Mess Automatic Toilet Bowl Cleaner Complete Clean - Lavender -

0245588v1.0

LYSOL® No Mess Automatic Toilet Bowl Cleaner Complete Clean - Citrus - 0245589v1.0 LYSOL® No Mess Automatic Toilet Bowl Cleaner Complete Clean - Spring Waterfall -

0245591v1.0

Issue date18-Sep-2012Effective date15-Sep-2012

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.