# SAFETY DATA SHEET



CLEARASIL® ULTRA® DEEP PORE CLEANSING PADS (CANADA)

## 1. Product and company identification

Product name	: CLEARASIL® ULTRA® DEEP PORE CLEANSING PADS (CANADA)
Distributed by	: RB Health (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
	RB Health (US) LLC Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport) Website:	<ul> <li>1-800-424-9300 (U.S. &amp; Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887</li> <li>http://www.rbnainfo.com</li> </ul>

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	:	D0225131 v11.0
Formulation #	:	0397059 v1.0

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Personal care	
Consumer uses	

### 2. Hazards identification

Classification of the substance or mixture

: FLAMMABLE LIQUIDS - Category 3 EYE IRRITATION - Category 2A

#### **GHS label elements**

### 2. Hazards identification

÷

Hazard pictograms



Signal word	arning	
Hazard statements	ammable liquid and vapor. auses serious eye irritation.	
Precautionary statements		
General	ead label before use. Keep out of reach of children. If medical advice is needed, ave product container or label at hand.	
Prevention	ear protective gloves. Wear eye or face protection. Keep away from heat, hot infaces, sparks, open flames and other ignition sources. No smoking. Use explosit oof electrical, ventilating, lighting and all material-handling equipment. Use only no parking tools. Take precautionary measures against static discharge. Keep contain htly closed. Wash hands thoroughly after handling.	on-
Response	ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with ater or shower. IF IN EYES: Rinse cautiously with water for several minutes. emove contact lenses, if present and easy to do. Continue rinsing. If eye irritation ersists: Get medical attention.	th
Storage	ore in a well-ventilated place. Keep cool.	
Disposal	spose of contents and container in accordance with all local, regional, national and ternational regulations.	1
Supplemental label elements	one known.	
Hazards not otherwise classified	one known.	

### 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
ethanol salicylic acid glycerol	≥30 - ≤60 ≥1 - ≤2.9 ≥1 - ≤5	64-17-5 69-72-7 56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

**Description of necessary first aid measures** 

- Eye contact
- : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

2/14

## 4. First aid measures

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effect	<u>xts</u>
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>itoms</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate med	lical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

3/14

## **5.** Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### 7. Handling and storage

#### Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	Store between the following temperatures: 5 to 40°C (41 to 104°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

#### **Control**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
ethanol	ACGIH TLV (United States, 3/2018).
	STEL: 1000 ppm 15 minutes.
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 1000 ppm 8 hours.
	TWA: 1900 mg/m <sup>3</sup> 8 hours.
	NIOSH REL (United States, 10/2016).
	TWA: 1000 ppm 10 hours.
	TWA: 1900 mg/m <sup>3</sup> 10 hours.
	OSHA PEL (United States, 5/2018).
	TWA: 1000 ppm 8 hours.
	TWA: 1900 mg/m³ 8 hours.
glycerol	OSHA PEL 1989 (United States, 3/1989).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable
	fraction
	TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust
	OSHA PEL (United States, 5/2018).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable
	fraction
	TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

# 8. Exposure controls/personal protection

Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	ures
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	<ul> <li>Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.</li> </ul>

# 9. Physical and chemical properties

<u>Appearance</u> Physical state Color	: Liquid. [Clear.] : White.
Odor	: Not available.
Odor threshold	: Not available.
рН	: 3 to 3.5 [Conc. (% w/w): 100%]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 28°C (82.4°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.

## 9. Physical and chemical properties

Relative density	: 0.93 to 0.97	
Solubility	: Easily soluble in the following materials: cold water and hot water.	
Partition coefficient: n- octanol/water	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Viscosity	: Not available.	

### 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	<ul> <li>The product may not be stable under certain conditions of storage or use. See "Possibility of Hazardous Reactions" for further information.</li> </ul>
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	7 g/kg	-
salicylic acid	LD50 Oral	Rat - Male,	1601 mg/kg	-
		Female		
glycerol	LD50 Oral	Rat	12600 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
ethanol	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Eyes - Severe irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
salicylic acid	Eyes - Cornea opacity	Rabbit	8	-	72 hours

**Conclusion/Summary** 

11 Toxicological	nformat	ion		
11. Toxicological i				
Skin			data, the classification criteria are not met.	
Eyes	: Based on Calculation method: Causes serious eye irritation.			
Respiratory	: Based on	available	data, the classification criteria are not met.	
Sensitization Not available.				
Conclusion/Summary	. Desc d	o	data the electric cutoric and mathematic	
Skin Beeniretery			data, the classification criteria are not met.	
Respiratory	Based on	available (	data, the classification criteria are not met.	
Mutagenicity Not available.				
Conclusion/Summary	: Based on	available o	data, the classification criteria are not met.	
Carcinogenicity Not available.				
Conclusion/Summary <u>Classification</u>	: Based on	available o	data, the classification criteria are not met.	
Product/ingredient name	OSHA	IARC	NTP	
ethanol	-	1	-	
Reproductive toxicity Not available.	-			
Conclusion/Summary Teratogenicity Not available.	: Based on	available o	data, the classification criteria are not met.	
Conclusion/Summary	: Based on	available o	data, the classification criteria are not met.	
Specific target organ toxicit Not available.	<u>y (single ex</u> t	<u>oosure)</u>		
Specific target organ toxicit Not available.	y (repeated o	<u>exposure)</u>		
Aspiration hazard Not available.				
Information on the likely routes of exposure	: Not availa	able.		
Potential acute health effects				
Eye contact	: Causes s	erious eye	irritation.	
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			

#### Symptoms related to the physical, chemical and toxicological characteristics

8/14

# 11. Toxicological information

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effect	s and also chronic effects from short and long term exposure	
Short term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health effe	<u>zts</u>	
Not available.		
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.	
General	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
Mutagenicity	: No known significant effects or critical hazards.	
Teratogenicity	: No known significant effects or critical hazards.	
<b>Developmental effects</b>	: No known significant effects or critical hazards.	
Fertility effects	: No known significant effects or critical hazards.	

#### Numerical measures of toxicity

Acute toxicity estimates			
Route	ATE value		
Oral	80050 mg/kg		

# 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia	48 hours
		franciscana - Larvae	
	Acute LC50 11000000 µg/l Marine water	Fish - Alburnus alburnus	96 hours
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
Code # : FF0397059_D022	5131_NA <b>SDS # :</b> D0225131 v11.0	Date of issue : 08/08/2019	9/14

12. Ecological information					
salicylic acid	Acute LC50 111.7 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours		
	Chronic NOEC 5.6 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days		
glycerol	Acute LC50 10000 mg/l Fresh water Acute LC50 5000 mg/l Fresh water	Daphnia Fish	24 hours 24 hours		

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
glycerol	OECD 301D Ready Biodegradability - Closed Bottle Test	92 % - 30 c	lays	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
glycerol	-		-		Readily	

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
ethanol	-0.35		low
salicylic acid	2.21 to 2.26		low
glycerol	-1.76		low

#### **Mobility in soil**

Soil/water partition: Not available.coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

### 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
	Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

	DOT Classification	TDG Classification	IMDG	IATA
UN number	UN1993	UN1993	UN1993	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (alcohol denatured)	FLAMMABLE LIQUID, N.O.S. (alcohol denatured)	FLAMMABLE LIQUID, N.O.S. (alcohol denatured)	Flammable liquid, n.o.s. (alcohol denatured)
Transport hazard class(es)	3	3	3	3
Packing group	111	111	Ш	III
Environmental hazards	No.	No.	No.	No.

#### Additional information

DOT Classification	:	Limited Quantity 5L Packaging instruction Packaging aircraft Quantity limitation: 60 L Cargo aircraft Quantity limitation: 220 L Special provisions B1, B52, IB3, T4, TP1, TP29
TDG Classification	:	Explosive Limit and Limited Quantity Index 5L Passenger Carrying Road or Rail Index 60L Special Provisions 16, 150
IMDG	:	<u>Limited quantity</u> 5L <u>Emergency schedules (EmS)</u> F-E, S-E <u>Special Provisions</u> 223, 274, 955
ΙΑΤΑ	:	Limited Quantities Passenger Aircraft Quantity limitation: 10 L Packaging instructions: Y344 Passenger and Cargo Aircraft Quantity limitation: 60 L Packaging instructions: 355 Cargo Aircraft Only Quantity limitation: 220 L Packaging instructions: 366 Special provisions A3
Special precautions for user	:	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to Annex II of MARPOL and	:	Not available.

the IBC Code

# 15. Regulatory information

U.S. Federal regulations	<ul> <li>TSCA 8(a) CDR Exempt/Partial exemption: Not determined</li> <li>United States inventory (TSCA 8b): Not determined.</li> <li>Clean Water Act (CWA) 311: sodium hydroxide</li> </ul>
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: FLAMMABLE LIQUIDS - Category 3 EYE IRRITATION - Category 2A

#### Composition/information on ingredients

Name	%		Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
ethanol	≥30 - ≤60	Yes.	No.	No.	Yes.	No.
salicylic acid	≥1 - ≤2.9	Yes.	No.	No.	Yes.	No.

#### **State regulations**

Massachusetts	: The following components are listed: ETHYL ALCOHOL; DENATURED ALCOHOL; GLYCERINE MIST
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: ETHYL ALCOHOL; ALCOHOL; GLYCERIN; 1,2, 3-PROPANETRIOL</li> </ul>
Pennsylvania	<ul> <li>The following components are listed: DENATURED ALCOHOL; ETHANOL; 1,2, 3-PROPANETRIOL</li> </ul>
Label elements	
<u>CPSC</u>	
Signal word Hazard statements Precautionary measures	<ul> <li>WARNING</li> <li>FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.</li> <li>Keep out of the reach of children. Keep away from heat, sparks and flame. Use only with adequate ventilation. Do not breathe vapor or mist. Do not get on skin or clothing. Avoid contact with eyes. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.</li> </ul>

### 15. Regulatory information

#### **CCCR**

Signal word Hazard statements Precautionary measures <u>EPA</u>	<ul> <li>DANGER CAUTION</li> <li>FLAMMABLE IRRITANT CONTENTS MAY CATCH FIRE MAY IRRITATE EYES</li> <li>Do not smoke. Do not get in eyes.</li> </ul>
Signal word: Hazard statements	<ul> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards. No known significant effects or critical hazards.</li> </ul>
Special Inert substance.	No known significant effects or critical hazards.
Precautionary measures	: No known significant effects or critical hazards.
	No known significant effects or critical hazards.
Skin sensitizer	: No known significant effects or critical hazards.
Cosmetics. / Medicinal pro	ducts
Precautionary measures	: For external use only. Flammable until dry, keep away from extreme heat or open flame. avoid contact with the eyes. If product gets into the eyes rinse thoroughly with water Stop use and ask doctor if skin or eye irritation develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
Additional information / Re	commendations
Additional information	: No known significant effects or critical hazards.
Recommendations	: No known significant effects or critical hazards.
Recommendations	: No known significant effects or critical hazards.

Read label before use.

### 16. Other information

Hazardous Material : Information System (U.S.A.) Health 0 Flammability 0 Physical hazards 0

В

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Personal protection

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

### **16. Other information**

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability No known significant effects or critical hazards.

÷

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>
Date of issue	: 08/08/2019
Date of previous issue	: 10/06/2019
Version	: 11.0
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.