SAFETY DATA SHEET



VEET® Spray On Hair Removal Cream Legs & Body - Sensitive Formula (Canada)

1. Product and company identification

Product name : VEET® Spray On Hair Removal Cream Legs & Body - Sensitive Formula (Canada)

Distributed by : Reckitt Benckiser (Canada) Inc.

1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9

CANADA

Telephone: +1 905 283 7000

Reckitt Benckiser LLC. Morris Corporate Center IV

399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225

+1 973 404 2600

Emergency telephone number (Medical)

: 1-800-338-6167

Emergency telephone number (Transport)

: 1-800-424-9300 (U.S. & Canada) CHEMTREC

Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: : http://www.rbnainfo.com

Product use : To remove unwanted body hair.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D0048219 v30.0

0264985 Dry

UPC Code / Sizes : Cream in 150ml spray can.

2. Hazards identification

Classification of the substance or mixture : GASES UNDER PRESSURE - Liquefied gas SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms





Signal word

: Danger

Hazard statements

: Contains gas under pressure; may explode if heated. Causes serious eye damage.

Precautionary statements

General

: Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention

: Wear eye or face protection.

Response

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Storage

: Protect from sunlight. Store in a well-ventilated place.

Disposal

: Not applicable.

Supplemental label elements

: Safety Label Language for Women

Read and follow all precautions and directions before use.

Do not exceed 6 minutes total application time.

Suitable for use on the legs, arms, underarms & bikini line

NOT SUITABLE for use on head, face, eyes, nose, ears, around the anus, genitals and nipples or any other body parts.

Never spray near the face or directly onto the underarms or bikini line.

Do not use on varicose veins, scars, moles, spotty, broken, irritated, sunburnt skin or on skin that has had an adverse reaction to hair removal creams in the past.

Always leave 72 hours between hair removal sessions.

Check with your doctor before using if you are on any medication which can affect the skin, if you suffer from any skin related disorder, or if you have a condition which may affect the skin.

Before every use, TEST YOUR SKIN REACTION by applying and removing the product to a small part of the area you wish to treat, following the directions for use. If after 24 HOURS there is no adverse reaction, continue to use.

If you experience any smarting/tingling during use, remove the product immediately and rinse thoroughly with cold water. If a burning sensation persists, seek medical advice.

Skin may be more sensitive for a short time after use, so avoid scratching.

After use we recommend waiting 24 hours before using anti-perspirant, any other

2/20 Code # : D0048219 SDS# : D0048219 v30.0 Date of issue : 28/05/2018

2. Hazards identification

perfumed product, using artificial tanning equipment, swimming or sunbathing.

KEEP OUT OF REACH OF CHILDREN.

In case of ingestion, seek medical advice immediately and show outer pack.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Contains alkali and thioglycolate.

Product may cause surfaces to become slippery.

Avoid spillage on carpets, clothes and flooring.

Protect from sunlight. Do not expose to temperatures exceeding 40°C. Store preferably between 5°C and 25°C.

Safety Label Language for Men

Read and follow all precautions and directions before use.

Do not exceed 6 minutes total application time.

Suitable for both men and women

Suitable for use on the legs, arms, underarms, chest, back & bikini line/groin area.

NOT SUITABLE for use on head, face, eyes, nose, ears, around the anus, genitals and nipples or any other body parts.

Someone should assist when removing hair from hard to reach areas like the back

This person should also be aware of all precautions

Never spray near the face or directly onto the underarms or bikini line/groin.

Do not use on varicose veins, scars, moles, spotty, broken, irritated, sunburnt skin or on skin that has had an adverse reaction to hair removal creams in the past.

Always leave 72 hours between hair removal sessions.

Check with your doctor before using if you are on any medication which can affect the skin, if you suffer from any skin related disorder, or if you have a condition which may affect the skin.

Before every use, TEST YOUR SKIN REACTION by applying and removing the product to a small part of the area you wish to treat, following the directions for use. If after 24 HOURS there is no adverse reaction, continue to use.

If you experience any smarting/tingling during use, remove the product immediately and rinse thoroughly with cold water. If a burning sensation persists, seek medical advice.

Skin may be more sensitive for a short time after use, so avoid scratching.

After use we recommend waiting 24 hours before using anti-perspirant, any other

2. Hazards identification

perfumed product, using artificial tanning equipment, swimming or sunbathing.

KEEP OUT OF REACH OF CHILDREN.

In case of ingestion, seek medical advice immediately and show outer pack.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Contains alkali and thioglycolate.

Product may cause surfaces to become slippery.

Avoid spillage on carpets, clothes and flooring.

Protect from sunlight. Do not expose to temperatures exceeding 40°C. Store preferably between 5°C and 25°C.

WARNING

Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

KEEP OUT OF REACH OF CHILDREN

Pressurised container. May burst if heated.

Protect from sunlight

Do not expose to temperature exceeding 50°C. Extreme temperatures can occur in cars, near ovens and fireplaces.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

Do not pierce or burn even after use

- 1.361% by mass of aerosol are flammable.
- \cdot due to the nature of the product, the product must not be in contact with the eyes and the outline
- \cdot part of the eyes. During use, in case of an accidental contact with the eyes, a thorough rinsing
- \cdot with flushing water is recommended and to seek medical advice to confirm lack of adverse effects
- · the product must not be used and put in contact with the face and the mucous,
- · due to the chemical removal of the hair during use and the nature of the product which is an
- · alkaline product, it must be used only on healthy skin,

2. Hazards identification

- \cdot the instructions for use shall mention to avoid sunlight exposure the day after application.
- · Thus, it can be considered that irritation effects should be reduced or negligible by a clear labelling of the directions of use and a strict follow-up of them by the consume.

Hazards not otherwise classified

: None known.

3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
urea calcium dihydroxide Glycerol butane	5 - 10 1 - 5 1 - 5 0.5 -1.5	57-13-6 1305-62-0 56-81-5 106-97-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

4. First aid measures

Ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments

: No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

: None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6. Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous.

including any incompatibilities

Conditions for safe storage, : Do not store above the following temperature: 40°C (104°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Store locked up. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name	Exposure limits
urea	AIHA WEEL (United States, 10/2011). TWA: 10 mg/m³ 8 hours.
calcium dihydroxide	ACGIH TLV (United States, 4/2014). TWA: 5 mg/m³ 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 5 mg/m³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust
Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust
butane	OSHA PEL 1989 (United States, 3/1989). TWA: 800 ppm 8 hours.

Code # : D0048219 SDS# : D0048219 v30.0 **Date of issue** : 28/05/2018 8/20

8. Exposure controls/personal protection

TWA: 1900 mg/m³ 8 hours.

NIOSH REL (United States, 10/2013).

TWA: 800 ppm 10 hours. TWA: 1900 mg/m³ 10 hours. ACGIH TLV (United States, 6/2013).

STEL: 1000 ppm 15 minutes.

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

Appearance

Physical state : Liquid. [cream/Liquefied compressed gas.]

Color : Not available.

Odor : Not available.
Odor threshold : Not available.

pH : 12.2 to 12.6 [20 to 25°C]

9. Physical and chemical properties

Melting point: Not available.Boiling point: Not available.

Flash point : Closed cup: >93.3°C (>199.9°F)

Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : 1 to 1.1

Solubility : Easily soluble in the following materials: cold water and hot water.

Solubility in water : See Section 9.1 Solubility(ies)

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Dynamic (room temperature): 70000 to 130000 mPa·s (70000 to 130000 cP)

Flow time (ISO 2431) : Not available.

Aerosol product

Type of aerosol : Foam

Heat of combustion : 1.764 kJ/g

Flame height : 3 cm

Flame duration : 1 s

10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Do not use with other products.

Hazardous decomposition: Under n

products

 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
urea calcium dihydroxide Glycerol butane	LD50 Oral	Rat	8471 mg/kg	-
	LD50 Oral	Rat	7340 mg/kg	-
	LD50 Oral	Rat	12600 mg/kg	-
	LC50 Inhalation Vapor	Rat	658000 mg/m³	4 hours

Conclusion/Summary: Based on available data, the classification criteria are not met.

Irritation/Corrosion

11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
urea	Skin - Mild irritant	Human	-	72 hours 22 milligrams Intermittent	-
	Skin - Moderate irritant	Human	-	24 hours 20 Percent	-
potassium hydroxide	Eyes - Moderate irritant	Rabbit	-	24 hours 1 milligrams	-
	Skin - Severe irritant	Guinea pig	-	24 hours 50 milligrams	-
	Skin - Severe irritant	Human	-	24 hours 50 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 50 milligrams	-
calcium dihydroxide	Eyes - Severe irritant	Rabbit	-	10 milligrams	_
*Veet Spray-On Hair Removal Cream	Skin - Edema	Human	0	-	-

Conclusion/Summary

Skin : Non-irritant to skin. *Information is based on toxicity test result of a similar product.

Eyes : Based on Calculation method: Causes serious eye damage. Respiratory : Based on available data, the classification criteria are not met.

Sensitization

Not available.

Conclusion/Summary

Skin : Based on available data, the classification criteria are not met. Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity Not available.

: Based on available data, the classification criteria are not met. **Conclusion/Summary**

Carcinogenicity

Not available.

Conclusion/Summary Reproductive toxicity

Not available.

: Based on available data, the classification criteria are not met.

Conclusion/Summary

Teratogenicity

Not available.

: Based on available data, the classification criteria are not met.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Code # : D0048219 : D0048219 v30.0 11/20 SDS# **Date of issue** : 28/05/2018

11. Toxicological information

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

11. Toxicological information

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	
urea	Acute EC50 6573.1 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours	
	Acute EC50 3910000 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours	
	Acute LC50 5000 µg/l Fresh water Chronic NOEC 2 g/L Fresh water	Fish - Colisa fasciata - Fingerling Fish - Heteropneustes fossilis	96 hours 30 days	
calcium dihydroxide	Acute LC50 33884.4 μg/l Fresh water	Fish - Clarias gariepinus - Fingerling	96 hours	
Glycerol	Acute LC50 10000 mg/l Fresh water Acute LC50 5000 mg/l Fresh water	Daphnia Fish	24 hours 24 hours	

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Glycerol	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
urea	<-1.73	-	low
Glycerol	-1.76	-	low
butane	2.89	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Release of large quantities into water may cause a pH-change resulting in danger for aquatic life.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1950	AEROSOLS	2.2	-	COGRAMME COS	Limited Quantity Yes Packaging instruction Packaging aircraft Quantity limitation: 75 kg Cargo aircraft Quantity limitation: 150 kgs
TDG Classification	UN1950	AEROSOLS	2.2 (8)	-		<u>Special provisions</u> 63, 190, 277, 327, 344
Mexico Classification	UN1950	AEROSOLS	2.2 (8)	-		Not applicable.
IMDG Class	UN1950	AEROSOLS	2.2 (8)	-		Limited quantity 1 L Emergency schedules (EmS) F-D, S-U Flash point Not available.

14. Transport information

	1.15.140.50	1.	I o o (o)	1 1	1_
IATA-DGR Class	UN1950	Aerosols, non- flammable containing substances in Class 8, Packing Group III	2.2 (8)		Passenger and Cargo aircraft Quantity limitation: 75 kgs Packaging instructions: 203 Cargo Aircraft Only Quantity limitation: 150 kgs Packaging instructions: 203 Limited Quantities - Passenger Aircraft Quantity limitation: 30 kgs Packaging instructions: Y203
					Special provisions A98, A145, A167, A802

Special precautions for user : Not available.

PG*: Packing group

15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 311: potassium hydroxide

Clean Air Act (CAA) 112 regulated flammable substances: butane

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals (Precursor Chemicals)

: Not listed

DEA List II Chemicals

: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

15. Regulatory information

SARA 311/312

Classification : Sudden release of pressure

Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
urea calcium dihydroxide butane		No. No. Yes.	No. No. Yes.	No. No. No.	Yes. Yes. No.	No. No. No.

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST; CALCIUM HYDROXIDE;

BUTANE

New York : None of the components are listed.

New Jersey : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; CALCIUM

HYDROXIDE; HYDRATED LIME; BUTANE

Pennsylvania: The following components are listed: 1,2,3-PROPANETRIOL; CALCIUM HYDROXIDE

(CA(OH)2); BUTANE

Canada

WHMIS (Canada) : Class E: Corrosive material

Canadian lists

Canadian NPRI : The following components are listed: Butane (all isomers)

CEPA Toxic substances: None of the components are listed.

Canada inventory : All components are listed or exempted.

Label elements

Precautionary measures : Safety Label Language for Women

Read and follow all precautions and directions before use.

Do not exceed 6 minutes total application time.

Suitable for use on the legs, arms, underarms & bikini line

NOT SUITABLE for use on head, face, eyes, nose, ears, around the anus, genitals and

nipples or any other body parts.

Never spray near the face or directly onto the underarms or bikini line.

Do not use on varicose veins, scars, moles, spotty, broken, irritated, sunburnt skin or on skin that has had an adverse reaction to hair removal creams in the past.

Always leave 72 hours between hair removal sessions.

Check with your doctor before using if you are on any medication which can affect the skin, if you suffer from any skin related disorder, or if you have a condition which may affect the skin.

Before every use, TEST YOUR SKIN REACTION by applying and removing the product

Code # : D0048219 SDS # : D0048219 v30.0 Date of issue : 28/05/2018 16/20

15. Regulatory information

to a small part of the area you wish to treat, following the directions for use. If after 24 HOURS there is no adverse reaction, continue to use.

If you experience any smarting/tingling during use, remove the product immediately and rinse thoroughly with cold water. If a burning sensation persists, seek medical advice.

Skin may be more sensitive for a short time after use, so avoid scratching.

After use we recommend waiting 24 hours before using anti-perspirant, any other perfumed product, using artificial tanning equipment, swimming or sunbathing.

KEEP OUT OF REACH OF CHILDREN.

In case of ingestion, seek medical advice immediately and show outer pack.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Contains alkali and thioglycolate.

Product may cause surfaces to become slippery.

Avoid spillage on carpets, clothes and flooring.

Protect from sunlight. Do not expose to temperatures exceeding 40°C. Store preferably between 5°C and 25°C.

Safety Label Language for Men

Read and follow all precautions and directions before use.

Do not exceed 6 minutes total application time.

Suitable for both men and women

Suitable for use on the legs, arms, underarms, chest, back & bikini line/groin area.

NOT SUITABLE for use on head, face, eyes, nose, ears, around the anus, genitals and nipples or any other body parts.

Someone should assist when removing hair from hard to reach areas like the back

This person should also be aware of all precautions

Never spray near the face or directly onto the underarms or bikini line/groin.

Do not use on varicose veins, scars, moles, spotty, broken, irritated, sunburnt skin or on skin that has had an adverse reaction to hair removal creams in the past.

Always leave 72 hours between hair removal sessions.

Check with your doctor before using if you are on any medication which can affect the skin, if you suffer from any skin related disorder, or if you have a condition which may affect the skin.

Before every use, TEST YOUR SKIN REACTION by applying and removing the product

15. Regulatory information

to a small part of the area you wish to treat, following the directions for use. If after 24 HOURS there is no adverse reaction, continue to use.

If you experience any smarting/tingling during use, remove the product immediately and rinse thoroughly with cold water. If a burning sensation persists, seek medical advice.

Skin may be more sensitive for a short time after use, so avoid scratching.

After use we recommend waiting 24 hours before using anti-perspirant, any other perfumed product, using artificial tanning equipment, swimming or sunbathing.

KEEP OUT OF REACH OF CHILDREN.

In case of ingestion, seek medical advice immediately and show outer pack.

Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Contains alkali and thioglycolate.

Product may cause surfaces to become slippery.

Avoid spillage on carpets, clothes and flooring.

Protect from sunlight. Do not expose to temperatures exceeding 40°C. Store preferably between 5°C and 25°C.

WARNING

Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

KEEP OUT OF REACH OF CHILDREN

Pressurised container. May burst if heated.

Protect from sunlight

Do not expose to temperature exceeding 50°C. Extreme temperatures can occur in cars, near ovens and fireplaces.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

Do not pierce or burn even after use

1.361% by mass of aerosol are flammable.

- \cdot due to the nature of the product, the product must not be in contact with the eyes and the outline
- · part of the eyes. During use, in case of an accidental contact with the eyes, a thorough rinsing


15. Regulatory information

- \cdot with flushing water is recommended and to seek medical advice to confirm lack of adverse effects
- · the product must not be used and put in contact with the face and the mucous,
- \cdot due to the chemical removal of the hair during use and the nature of the product which is an
- · alkaline product, it must be used only on healthy skin,
- \cdot the instructions for use shall mention to avoid sunlight exposure the day after application.
- · Thus, it can be considered that irritation effects should be reduced or negligible by a clear labelling of the directions of use and a strict follow-up of them by the consumer.

Avoid contact with eyes. Keep out of reach of children.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability Level 1

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Date of issue : 28/05/2018

Date of previous issue : 22/02/2018

Version : 30

Prepared by : Reckitt Benckiser India Ltd

Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

▼ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot quarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.