Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

Air Wick Scented Oil - Coconut & Pineapple



1. Product and company identification

| Product name | : Air Wick Scented Oil - Coconut & Pineapple |
|---|--|
| Distributed by | : Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600 |
| | Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000 |
| Emergency telephone number (Medical) | : 1-800-338-6167 |
| Emergency telephone number (Transport) | : 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887 |
| Website: | : http://www.rbnainfo.com |
| | |

Product use : Air care, continuous action (solid and liquid)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

| SDS # | : | D8277070 v2.0 |
|---------------|---|---------------|
| Formulation # | : | 3148937 v1.0 |

Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | |
|---------------------------------|--|
| Air care products Consumer uses | |

2. Hazards identification

Classification of the substance or mixture

: FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

GHS label elements

2. Hazards identification

| Hazard pictograms | |
|-------------------------------------|--|
| Signal word | : Warning |
| Hazard statements | : Combustible liquid. May cause an allergic skin reaction. Causes serious eye irritation. |
| Precautionary statements | |
| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear protective gloves. Wear eye or face protection. Keep away from flames and hot surfaces No smoking. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. |
| Response | : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| Storage | : Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : None known. |
| Hazards not otherwise classified | : None known. |

3. Composition/information on ingredients

Substance/mixture

: Mixture

| Ingredient name | % | CAS number |
|---|---------|------------|
| Benzyl alcohol | 10 - 30 | 100-51-6 |
| 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol | 5 - 10 | 63500-71-0 |
| Benzyl acetate | 5 - 10 | 140-11-4 |
| cis-4-tert-Butylcyclohexyl acetate | 1 - 5 | 10411-92-4 |
| Linalool | 1 - 5 | 78-70-6 |
| Linalyl acetate | 1 - 5 | 115-95-7 |
| p-Methoxybenzaldehyde | 1 - 5 | 123-11-5 |
| Allyl cyclohexanepropionate | 0.1 - 1 | 2705-87-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

4. First aid measures

| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|--------------|---|
| Skin contact | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

| Most important symptoms/e | ffects, acute and delayed |
|---------------------------------|---|
| Potential acute health effect | <u>zts</u> |
| Eye contact | : Causes serious eye irritation. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : May cause an allergic skin reaction. |
| Ingestion | : No known significant effects or critical hazards. |
| <u>Over-exposure signs/symp</u> | <u>itoms</u> |
| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |
| Indication of immediate med | lical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

5. Fire-fighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--|
| If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| tainment and cleaning up |
| Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |
| <u>, n</u> |

7. Handling and storage

Precautions for safe handling

| Protective measures | histo this brea resp spac alter and explo only | on appropriate personal protective equipment (see Section 8). Persons with a bry of skin sensitization problems should not be employed in any process in which product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid thing vapor or mist. Use only with adequate ventilation. Wear appropriate irator when ventilation is inadequate. Do not enter storage areas and confined wes unless adequately ventilated. Keep in the original container or an approved native made from a compatible material, kept tightly closed when not in use. Store use away from heat, sparks, open flame or any other ignition source. Use posion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Empty containers retain product residue and can be hazardous. not reuse container. |
|--|--|--|
| Conditions for safe storage, including any incompatibilities | Store area all ig and rese Use | e in accordance with local regulations. Store in a segregated and approved area. e in original container protected from direct sunlight in a dry, cool and well-ventilated , away from incompatible materials (see Section 10) and food and drink. Eliminate nition sources. Separate from oxidizing materials. Keep container tightly closed sealed until ready for use. Containers that have been opened must be carefully aled and kept upright to prevent leakage. Do not store in unlabeled containers. appropriate containment to avoid environmental contamination. See Section 10 for mpatible materials before handling or use. |

8. Exposure controls/personal protection

<u>Control</u>

Occupational exposure limits

| | | Encode and the lite | | |
|----------------------------------|--|---|--|--|
| Ingredient name | | Exposure limits | | |
| Benzyl alcohol | | AIHA WEEL (United States, 5/2018). TWA: 10 ppm 8 hours. | | |
| Benzyl acetate | | ACGIH TLV (United States, 3/2018). TWA: 10 ppm 8 hours. TWA: 61 mg/m ³ 8 hours. | | |
| Appropriate engineering controls | other engineering controls to keep wo recommended or statutory limits. The | Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. | | |
| Environmental exposure controls | they comply with the requirements of cases, fume scrubbers, filters or engine | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | |
| Individual protection measu | ires | | | |
| Hygiene measures | eating, smoking and using the lavator Appropriate techniques should be use Contaminated work clothing should no contaminated clothing before reusing. | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. | | |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. | | | |

8. Exposure controls/personal protection

Skin protection

| Hand protection | : Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
|------------------------|--|
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

9. Physical and chemical properties

Appearance Physical state : Liquid. : Not available. Color Odor : Not available. **Odor threshold** : Not available. pН : Not available. **Melting point** : Not available. **Boiling point** : >40°C (>104°F) **Flash point** : Closed cup: 87°C (188.6°F) **Evaporation rate** : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available. (flammable) limits : <0.013 kPa (<0.1 mm Hg) [room temperature] Vapor pressure Vapor density : Not available. : 0.99 - 1.1 **Relative density Solubility** : Not available. Partition coefficient: n-: Not available. octanol/water **Auto-ignition temperature** : Not available. Decomposition temperature : Not available. : Not available. Viscosity

Aerosol product

10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| Incompatible materials | Reactive or incompatible with the following materials: oxidizing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | |

11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-----------------------------|-------------|---------|-------------|----------|
| Benzyl alcohol | LD50 Dermal | Rabbit | 2000 mg/kg | - |
| - | LD50 Oral | Rat | 1230 mg/kg | - |
| Benzyl acetate | LD50 Dermal | Rabbit | >5 g/kg | - |
| - | LD50 Oral | Rat | 2490 mg/kg | - |
| Linalool | LD50 Dermal | Rabbit | 5610 mg/kg | - |
| | LD50 Dermal | Rat | 5610 mg/kg | - |
| | LD50 Oral | Rat | 2790 mg/kg | - |
| Linalyl acetate | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 13934 mg/kg | - |
| p-Methoxybenzaldehyde | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| . , , , | LD50 Oral | Rat | 1510 mg/kg | - |
| Allyl cyclohexanepropionate | LD50 Oral | Rat | 585 mg/kg | - |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|------------|-------|----------------------------|-------------|
| Benzyl alcohol | Skin - Mild irritant | Man | - | 48 hours 16 milligrams | - |
| | Skin - Moderate irritant | Pig | - | 100 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 100 milligrams | - |
| Benzyl acetate | Skin - Moderate irritant | Rabbit | - | 24 hours 100 milligrams | - |
| Linalool | Eyes - Moderate irritant | Rabbit | - | 1 hours 0.1 Mililiters | - |
| | Eyes - Moderate irritant | Rabbit | - | 100 microliters | - |
| | Skin - Moderate irritant | Guinea pig | - | 24 hours 100 milligrams | - |
| | Skin - Mild irritant | Human | - | 72 hours 32 Percent | - |
| | Skin - Mild irritant | Man | - | 48 hours 16 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 100 milligrams | - |
| Linalyl acetate | Skin - Moderate irritant | Guinea pig | - | 24 hours 100 | - |

44 Tovicological inf 41

| 11. Toxicological in | nformat | ion | | | | |
|---|-----------------------|------------------|---|-------------------|--|------|
| | Skin - Seve | ere irritant | Rabbit | - | milligrams 24 hours 100 milligrams | - |
| p-Methoxybenzaldehyde | Skin - Mod | erate irritar | nt Rabbit | - | 24 hours 500 milligrams | - |
| <u>Conclusion/Summary</u> Skin Eyes Respiratory <u>Sensitization</u> | : Based on | Calculatio | data, the classific n Method: Cause data, the classific | s serious eye i | rritation. | |
| Not available. <u>Conclusion/Summary</u> Skin Respiratory <u>Mutagenicity</u> Not available. | | | n method: May c data, the classific | - | | |
| Conclusion/Summary Carcinogenicity Not available. | : Based on | available o | lata, the classific | ation criteria ar | e not met. | |
| Conclusion/Summary <u>Classification</u> | : Based on | available o | lata, the classific | ation criteria ar | re not met. | |
| Product/ingredient name | OSHA | IARC | NTP | | | |
| Benzyl acetate | - | 3 | - | | | |
| Reproductive toxicity Not available. Conclusion/Summary Teratogenicity Not available. | : Based on | ı available o | lata, the classific | ation criteria ar | e not met. | |
| Specific target organ toxicity Not available. | <u>/ (single ex</u> t | <u>oosure)</u> | | | | |
| Specific target organ toxicity Not available. | <u>y (repeated (</u> | <u>exposure)</u> | | | | |
| Aspiration hazard Not available. | | | | | | |
| Information on the likely routes of exposure | : Not availa | able. | | | | |
| Potential acute health effects | | | | | | |
| Eye contact Inhalation Skin contact | | n significan | irritation. t effects or critica ic skin reaction. | I hazards. | | |
| Code # : 3148937_D827703 | • | - | 8277070 v2.0 | Date of issue | e : 20/10/2020 | 8/14 |

11. Toxicological information

Ingestion

: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

| <u>Short term exposure</u> | |
|--------------------------------|------------------|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| <u>Long term exposure</u> | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | <u>ects</u> |
| Not available. | |

| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
|---------------------------|---|
| General | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/ I) |
|--|------------------|-------------------|--------------------------------|----------------------------------|---|
| 3148937, FIL,AWICK,PHX ALWAYS LE US FIR D8277070 NA | 3812.7 | 5529.3 | N/A | N/A | N/A |
| Benzyl alcohol | 1230 | 2500 | N/A | N/A | N/A |
| Benzyl acetate | 2490 | N/A | N/A | N/A | N/A |
| cis-4-tert-Butylcyclohexyl acetate | 500 | N/A | N/A | N/A | N/A |
| Linalool | 2790 | 5610 | N/A | N/A | N/A |
| Linalyl acetate | 13934 | N/A | N/A | N/A | N/A |
| p-Methoxybenzaldehyde | 2500 | N/A | N/A | N/A | N/A |
| Allyl cyclohexanepropionate | 585 | 1100 | N/A | 11 | N/A |

9/14

12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|----------------------------|---|---|----------------------------------|
| Benzyl alcohol Linalool | Acute LC50 10000 µg/l Fresh water Acute EC50 36.7 ppm Fresh water Acute LC50 28.8 ppm Fresh water | Fish - Lepomis macrochirus Daphnia - Daphnia magna Fish - Oncorhynchus mykiss | 96 hours 48 hours 96 hours |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | | Inoculum |
|-------------------------|-------------------|-------------|-----------------|------|---------|------------|
| Linalool | - | 62.4 % - Re | adily - 28 days | - | | - |
| Product/ingredient name | Aquatic half-life | | Photolysis | | Biodeg | radability |
| Linalool | - | | - | | Readily | |

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------------|--------|-------|-----------|
| Benzyl alcohol | 0.87 | - | low |
| 2-Isobutyl-4-methyltetrahydro- | 1.65 | - | low |
| 2H-pyran-4-ol | | | |
| Benzyl acetate | 1.96 | 8 | low |
| cis-4-tert-Butylcyclohexyl | - | 334.6 | low |
| acetate | | | |
| Linalool | 2.84 | - | low |
| Linalyl acetate | 3.9 | 173.9 | low |
| p-Methoxybenzaldehyde | 1.76 | - | low |
| Allyl cyclohexanepropionate | - | 861 | high |

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

| | DOT Classification | TDG Classification | IMDG | IATA |
|-------------------------------|--------------------|--------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - |
| Transport hazard class(es) | - | - | - | - |
| Packing group | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. |

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

15. Regulatory information

| U.S. Federal regulations Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed | |
|---|---|--|
| Clean Air Act Section 602 Class I Substances | : Not listed | |
| Clean Air Act Section 602 Class II Substances | : Not listed | |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed | |
| DEA List II Chemicals (Essential Chemicals) | : Not listed | |
| <u>SARA 302/304</u> | | |
| <u>Composition/information on ingredients</u> | | |
| No products were found. | | |
| SARA 304 RQ | : Not applicable. | |
| <u>SARA 311/312</u> | | |
| Classification | : FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 | |
| Composition/information on ingredients | | |

15. Regulatory information

| Name | % | Classification |
|---|---------|---|
| 2,2-dimethyl-1,3-dioxolan- 4-ylmethanol | 30 - 60 | FLAMMABLE LIQUIDS - Category 4 |
| Benzyl alcohol | 10 - 30 | ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A |
| 2-Isobutyl-4-methyltetrahydro- 2H-pyran-4-ol | 5 - 10 | EYE IRRITATION - Category 2A |
| Benzyl acetate | 5 - 10 | SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A |
| cis-4-tert-Butylcyclohexyl acetate | 1 - 5 | ACUTE TOXICITY (oral) - Category 4 SKIN SENSITIZATION - Category 1B |
| Linalool | 1 - 5 | FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1B |
| Linalyl acetate | 1 - 5 | FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1B |
| p-Methoxybenzaldehyde | 1 - 5 | SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A |
| Allyl cyclohexanepropionate | 0.1 - 1 | ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN SENSITIZATION - Category 1 |

State regulations

| Massachusetts | : The following components are listed: BENZYL ALCOHOL |
|----------------------------|---|
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: BENZYL ACETATE; ACETIC ACID, PHENYLMETHYL ESTER |
| Pennsylvania | : The following components are listed: BENZENEMETHANOL |
| <u>California Prop. 65</u> | |
| This product does r | not require a Safe Harbor warning under California Prop. 65. |

Label elements

| <u>CPSC</u> | |
|--|--|
| Signal word Hazard statements Precautionary measures | CAUTION EYE IRRITANT KEEP OUT OF REACH OF CHILDREN AND PETS. Skin contact may cause an allergic reaction. Avoid contact with eyes and skin. DO NOT ingest. |
| CCCR | |
| Signal word Hazard statements Precautionary measures | CAUTION IRRITANT MAY IRRITATE EYES Skin contact may cause an allergic reaction. Avoid contact with eyes and skin. DO NOT ingest. |
| | KEEP OUT OF REACH OF CHILDREN AND PETS |

Additional information / Recommendations

| D8277070 | v2.0 |
|----------|------|
|----------|------|

15. Regulatory information

| Additional information | : Contains fragrance oils. If in eyes, rinse eyes with water. Remove any contact lenses and continue to rinse eyes for at least 15 minutes. Wash hands after handling. If reaction develops, discontinue use immediately and get medical attention. If swallowed, DO NOT induce vomiting. Call a physician or Poison Control Center immediately. DO NOT use in small, confined pet areas or other areas without adequate ventilation. |
|------------------------|---|
| Recommendations | : People suffering from perfume sensitivity should be cautious when using this product. Air fresheners aerosol (aqueous, non aqueous, concentrated (mini-aerosol)) for consumer use |

16. Other information


Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



16. Other information

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.