# SAFETY DATA SHEET



LYSOL® WIPES - SIMPLY™ Flat Pack Lightly Scented

1. Product and company identification		
Product name	: LYSOL® WIPES - SIMPLY™ Flat Pack Lightly Scented	
Distributed by	: Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000	
Emergency telephone number (Medical)	: 1-800-338-6167	
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887	
Website:	: http://www.rbnainfo.com	

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8346645 v2.0
Formulation #	: 3072033 v1.0 (Invisible)

#### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Surface Disinfection Wipes (Consumer Use)	

Not applicable.

(CAN)

#### 

### 2. Hazards identification

Signal word	: Warning
Hazard statements	: Causes serious eye irritation.
Precautionary statements	
General	<ul> <li>Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.</li> </ul>
Prevention	: Wear eye or face protection. Wash hands thoroughly after handling.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

## 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
I-(+)-lactic acid ethanol 2-(2-ethoxyethoxy)ethanol	1 - 5 1 -5 1 - 5	79-33-4 64-17-5 111-90-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

#### **Description of necessary first aid measures** Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If • not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

### 4. First aid measures

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed			
Potential acute health effects			
Eye contact	: Causes serious eye irritation.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
<u>Over-exposure signs/sym</u>	otoms		
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness		
Inhalation	: No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		

#### See toxicological information (Section 11)

## 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nt	ainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 7. Handling and storage

#### Precautions for safe handling

**Control** 

recautions for sale nationing	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 8. Exposure controls/personal protection

#### **Occupational exposure limits** Ingredient name **Exposure limits** ethanol ACGIH TLV (United States, 3/2018). STEL: 1000 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m<sup>3</sup> 8 hours. NIOSH REL (United States, 10/2016). TWA: 1000 ppm 10 hours. TWA: 1900 mg/m<sup>3</sup> 10 hours. Code # : 3072033 D8346645 SDS # : D8346645 v2.0 Date of issue : 20/05/2019 4/13 (CAN)

			OSHA PEL (United States, 5/2018). TWA: 1000 ppm 8 hours.
2-(2-ethoxyethoxy)ethanol			TWA: 1900 mg/m <sup>3</sup> 8 hours. AIHA WEEL (United States, 5/2018). TWA: 25 ppm 8 hours.
Appropriate engineering controls	:	Good general ventilation should be suffic contaminants.	cient to control worker exposure to airborne
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
ndividual protection measu	res		
Hygiene measures	:	eating, smoking and using the lavatory a Appropriate techniques should be used t	to remove potentially contaminated clothing. sing. Ensure that eyewash stations and safety
Eye/face protection	:	assessment indicates this is necessary t gases or dusts. If contact is possible, th	ved standard should be used when a risk o avoid exposure to liquid splashes, mists, e following protection should be worn, unless e of protection: chemical splash goggles.
Skin protection			
Hand protection	:	worn at all times when handling chemical necessary. Considering the parameters during use that the gloves are still retain noted that the time to breakthrough for a	omplying with an approved standard should be al products if a risk assessment indicates this is specified by the glove manufacturer, check ng their protective properties. It should be ny glove material may be different for different tures, consisting of several substances, the accurately estimated.
Body protection	:	Personal protective equipment for the bo performed and the risks involved and she handling this product.	ody should be selected based on the task being ould be approved by a specialist before
Other skin protection	:		skin protection measures should be selected the risks involved and should be approved by a
Respiratory protection	:	appropriate standard or certification. Re	posure, select a respirator that meets the spirators must be used according to a proper fitting, training, and other important

## 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Wipes impregnated with liquid.]
Color	: White.Wet Wipe [Light]
Odor	: Fragrant.
Odor threshold	: Not available.
рН	: 2.05 to 2.5
Melting point	: Not available.

## 9. Physical and chemical properties

Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

#### Aerosol product

10. Stability and reactivity		
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
Chemical stability	: The product is stable.	
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to avoid	: No specific data.	
Incompatible materials	: No specific data.	
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

## 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	7 g/kg	-
2-(2-ethoxyethoxy)ethanol	LD50 Oral	Rat	7500 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Irritation/Corrosion

SDS #

# 11. Toxicological information

Product/ingredient name	Result		Species	Score	Exposure	Observation
ethanol	Eyes - Mod	erate irrita	nt Rabbit	-	0.066666667 minutes 100	-
	Eyes - Mild	irritant	Rabbit	-	milligrams 24 hours 500 milligrams	-
	Eyes - Mod	erate irrita	nt Rabbit	-	100 microliters	-
	Eyes - Seve	ere irritant	Rabbit	-	500 milligrams	-
	Skin - Mild	irritant	Rabbit	-	400 milligrams	-
	Skin - Mode	erate irritar	nt Rabbit	-	24 hours 20 milligrams	-
2-(2-ethoxyethoxy)ethanol	Eyes - Mild	irritant	Rabbit	-	125 milligrams	-
	Eyes - Mod	erate irrita	nt Rabbit	-	500 milligrams	-
	Skin - Mild	irritant	Rabbit	-	24 hours 500 milligrams	-
Conclusion/Summary	1		I	I		1
Skin	: Based on	available o	lata, the classificati	on criteria are	e not met.	
Eyes	: Based on	Calculation	n method: Causes	serious eye ir	ritation.	
Respiratory	: Based on	available o	lata, the classificati	on criteria are	e not met.	
Sensitization						
Not available.						
<u>Conclusion/Summary</u> Skin	. Doord on		lata the classificati	on critoria ar	not mot	
Respiratory			lata, the classificati lata, the classificati			
Mutagenicity Not available.			-			
Conclusion/Summary	: Based on	available o	lata, the classificati	on criteria are	e not met.	
Carcinogenicity Not available.						
Conclusion/Summary <u>Classification</u>	: Based on	available o	lata, the classificati	on criteria are	e not met.	
Product/ingredient name	OSHA	IARC	NTP			
ethanol	-	1	-			
Reproductive toxicity Not available.						
Conclusion/Summary Teratogenicity Not available.	: Based on	available o	lata, the classificati	on criteria are	e not met.	
Conclusion/Summary	: Based on	available o	lata, the classificati	on criteria are	e not met.	
ode # : 3072033_D8346 (CAN)	645 <b>SDS #</b>	: D	8346645 v2.0 <b>E</b>	Date of issue	: 20/05/2019	7/13

information
ity (single exposure)
ity (repeated exposure)
: Not available.
<u>S</u>
: Causes serious eye irritation.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
vsical, chemical and toxicological characteristics
: Adverse symptoms may include the following: pain or irritation watering redness
: No specific data.
: No specific data.
: No specific data.
cts and also chronic effects from short and long term exposure
: Not available.
fects
: Based on available data, the classification criteria are not met.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.

## **11. Toxicological information**

Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## **12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
I-(+)-lactic acid	Acute EC50 240000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 320000 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute LC50 130 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 11000000 µg/l Marine water	Fish - Alburnus alburnus	96 hours
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
2-(2-ethoxyethoxy)ethanol	Acute LC50 3340000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 6010000 μg/l Fresh water	Fish - Ictalurus punctatus	96 hours

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
ethanol	-0.35	-	low
2-(2-ethoxyethoxy)ethanol	-0.54		low

#### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **14. Transport information**

	DOT Classification	TDG Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

**Additional information** 

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

## 15. Regulatory information

U.S. Federal regulations	<ul> <li>TSCA 8(a) PAIR: Siloxanes and Silicones, di-Me</li> <li>TSCA 8(a) CDR Exempt/Partial exemption: Not determined</li> <li>United States inventory (TSCA 8b): Not determined.</li> </ul>	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed	
Clean Air Act Section 602 Class I Substances	: Not listed	
Code # : 3072033_D8340 (CAN)	6645         SDS #         : D8346645 v2.0         Date of issue         : 20/05/2019         10/13	

## 15. Regulatory information

Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals	: Not listed

(Essential Chemicals)

#### SARA 302/304

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

#### SARA 311/312 Classification

: EYE IRRITATION - Category 2A

#### **Composition/information on ingredients**

Name	 hazard	Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
ethanol 2-(2-ethoxyethoxy)ethanol	Yes. No.		No. No.	Yes. Yes.	No. No.

#### SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	2-(2-ethoxyethoxy)ethanol	111-90-0	1.1667
Supplier notification	2-(2-ethoxyethoxy)ethanol	111-90-0	1.1667

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

(CAN)


Massachusetts	: The following components are listed: ETHYL ALCOHOL; DENATURED ALCOHOL
New York	: None of the components are listed.
New Jersey	: The following components are listed: ETHYL ALCOHOL; ALCOHOL; GLYCOL ETHERS
Pennsylvania	: The following components are listed: DENATURED ALCOHOL; ETHANOL
Label elements	
<u>CPSC</u>	
Signal word	: Not applicable.
Hazard statements	: Not applicable.
Precautionary measures	: Not applicable.
CCCR	
Signal word	: Not applicable.
Hazard statements	: MAY IRRITATE EYES.
Precautionary measures	: KEEP OUT OF REACH OF CHILDREN. DO NOT get in eyes. Wash hands thoroughly with soap and water after handling.
EPA	
Code # : 3072033_D834	6645 SDS # : D8346645 v2.0 Date of issue : 20/05/2019 11/13

### 15. Regulatory information

Signal word:	: Not applicable.
Hazard statements	: Not applicable.
	Not applicable.
	Not applicable.
	Not applicable.
	Not applicable.
<b>_</b>	Not applicable.
Special Inert substance.	Not applicable.
Precautionary measures	Not applicable.
	Not applicable.
Skin sensitizer	: Not applicable.
Cosmetics. / Medicinal pro	ducts
Precautionary measures	: Not applicable.
	Not applicable.
	Not applicable.
	Not applicable.
Additional information / Re	ecommendations
Additional information	: No known significant effects or critical hazards.
Recommendations	: No known significant effects or critical hazards.
Recommendations	: No known significant effects or critical hazards.


Read label before use.

## **16. Other information**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.



NFPA (30B) aerosol Flammability Not applicable.

## **16. Other information**

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 20/05/2019
Date of previous issue	: 23/08/2018
Version	: 2.0
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

#### Revision comments : PSDS Update

**V** Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.