SAFETY DATA SHEET



AIR WICK® 4 in 1 Air Freshener - Fresh Waters (Canada)

1. Product and company identification

| Product name | : AIR WICK® 4 in 1 Air Freshener - Fresh Waters (Canada) | | |
|---|--|--|--|
| Distributed by | : Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600 | | |
| | Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000 | | |
| Emergency telephone number (Medical) | : 1-800-338-6167 | | |
| Emergency telephone number (Transport) | : 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887 | | |
| Website: | : http://www.rbnainfo.com | | |

Product use : Air care, instant action (aerosol sprays)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

| SDS # | : D0386312 |
|----------------|--------------|
| Formulation #: | : #0384784_1 |

| Classification of the | : FLAMMABLE AEF | ROSOLS - Catego | ory 1 | | |
|-----------------------|---------------------------------------|-----------------|---------------|--------------|------|
| substance or mixture | GASES UNDER PRESSURE - Compressed gas | | | | |
| GHS label elements | | | | | |
| Hazard pictograms | | \checkmark | | | |
| | <u> </u> | | | | |
| | | | | | |
| Codo # : EE0384784 [| | D0386312 | Data of issue | • 23/05/2018 | 1/15 |

2. Hazards identification

| Signal word | : Danger |
|-------------------------------------|--|
| Hazard statements | Extremely flammable aerosol. Contains gas under pressure; may explode if heated. |
| Precautionary statements | |
| General | Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. |
| Response | : Not applicable. |
| Storage | : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. |
| Disposal | : Not applicable. |
| Supplemental label elements | : None known. |
| Hazards not otherwise classified | : None known. |

3. Composition/information on ingredients

| Substance/mixture : Mixture | | |
|---|----------------|----------------------|
| Ingredient name | % | CAS number |
| ethanol disodium tetraborate decahydrate | 1-5 0.1 - 1 | 64-17-5 1303-96-4 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |
|--------------|--|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

4. First aid measures

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Most important symptoms/effects, acute and delayed

| Potential acute health effect | ts |
|-------------------------------|---|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs/symp | toms |
| Eye contact | : Adverse symptoms may include the following: irritation redness |
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| Indication of immediate med | ical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may |

See toxicological information (Section 11)

5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard. |

5. Fire-fighting measures

| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
|--|--|
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|--|
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | ntainment and cleaning up |
| Small spill | : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. |
|--|--|
| Conditions for safe storage, including any incompatibilities | : Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. |

8. Exposure controls/personal protection

Control

Occupational exposure limits

| Ingredient name | | Exposure limits | |
|--|--|--|--|
| ethanol disodium tetraborate decahy | drate | ACGIH TLV (United States, 3/2015). STEL: 1000 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 1000 ppm 10 hours. TWA: 1900 mg/m³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m³ 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 5 mg/m³ 10 hours. ACGIH TLV (United States, 3/2015). TWA: 2 mg/m³ 8 hours. Form: Inhalable | |
| Appropriate engineering controls | or mist, use process enclosures, lo to keep worker exposure to airborn | fraction STEL: 6 mg/m ³ 15 minutes. Form: Inhalable fraction If user operations generate dust, fumes, gas, vapor ocal exhaust ventilation or other engineering controls ne contaminants below any recommended or statutory so need to keep gas, vapor or dust concentrations | |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | |
| ndividual protection measur | <u>'85</u> | | |
| Code # : FF0384784_D03 (CAN) | 386312 SDS # : D0386312 | Date of issue : 23/05/2018 5/15 | |

| D0386312 |
|----------|
|----------|

8. Exposure controls/personal protection

| | • • |
|------------------------|--|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Use chemical resistant gloves classified under Standard EN374 - Protective gloves against chemicals and micro-organisms. |
| | Examples of preferred glove barrier materials include: Nitrile/butadiene rubber ("nitrile" or "NBR"); Chlorinated polyethylene; Butyl rubber; Polyethylene. |
| | Examples of acceptable glove barrier materials include: Natural rubber ("latex"); Neoprene; Viton; Ethyl vinyl alcohol laminate ("EVAL"). |
| | A glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended. |
| | Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. |
| | NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Considering the parameters specified by the glove manufacturer, checks during use should be carried out to ensure the gloves are still retaining their protective properties. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

9. Physical and chemical properties

Appearance

| Physical state | : | Liquid. [Aerosol.] |
|--|---|-----------------------------|
| Color | : | Colorless. |
| Odor | | Not available. |
| Odor threshold | 1 | Not available. |
| pH | 1 | Not available. |
| · · | 1 | Not available. |
| Melting point | ÷ | |
| Boiling point | ÷ | >75°C (>167°F) |
| Flash point | 4 | Closed cup: >100°C (>212°F) |
| Evaporation rate | 1 | Not available. |
| Flammability (solid, gas) | 1 | Not available. |
| Lower and upper explosive (flammable) limits | 1 | Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | 1 | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Partition coefficient: n- octanol/water | 1 | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| Viscosity | : | Not available. |
| Flow time (ISO 2431) | : | Not available. |
| Aerosol product | | |
| Type of aerosol | : | Spray |
| Heat of combustion | : | 1.236 kJ/g |

10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|---------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

7/15

11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------|---------|--------------|----------|
| ethanol | LC50 Inhalation Vapor | Rat | 124700 mg/m³ | 4 hours |
| disodium tetraborate | LD50 Oral | | 7 g/kg | - |
| decahydrate | LD50 Oral | | 2660 mg/kg | - |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--|-------------|
| ethanol | Eyes - Moderate irritant | Rabbit | - | 0.066666667 minutes 100 milligrams | - |
| | Eyes - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Eyes - Moderate irritant | Rabbit | - | 100 microliters | - |
| | Eyes - Severe irritant | Rabbit | - | 500 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | 400 milligrams | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 20 milligrams | - |

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Eyes

Skin

Respiratory

Based on available data, the classification criteria are not met.Based on available data, the classification criteria are not met.

Sensitization

Not available.

| Conclusion/Summary | |
|---------------------------------------|---|
| Skin | : Based on available data, the classification criteria are not met. |
| Respiratory | : Based on available data, the classification criteria are not met. |
| <u>Mutagenicity</u> Not available. | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Carcinogenicity Not available. | |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| ethanol | - | 1 | - |

Reproductive toxicity

11. Toxicological information

| Product/ingredient name | Maternal toxicity | Fertility | Development toxin | Species | Dose | Exposure |
|-------------------------------------|----------------------|-----------|-------------------|---------|--|----------|
| disodium tetraborate decahydrate | - | - | - | Rat | Oral: 9.6 mg/kg bw/ day expressed as quantity of B | - |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

| Eye contact | : No known significant effects or critical hazards. |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : Adverse symptoms may include the following: irritation redness |
|--------------|---|
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

| Delayed and immediate effects and also chronic effects from short and long term exposure | | | |
|--|------------------|--|--|
| <u>Short term exposure</u> | | | |
| Potential immediate effects | : Not available. | | |
| Potential delayed effects Long term exposure | : Not available. | | |

11. Toxicological information

| · · · · · · · · · · · · · · · · · · · | | |
|---------------------------------------|---|--|
| Potential immediate effects | Not available. | |
| Potential delayed effects | Not available. | |
| Potential chronic health ef | t <u>s</u> | |
| Not available. | | |
| Conclusion/Summary | Based on available data, the classification criteria are not met. | |
| General | No known significant effects or critical hazards. | |
| Carcinogenicity | No known significant effects or critical hazards. | |
| Mutagenicity | No known significant effects or critical hazards. | |
| Teratogenicity | No known significant effects or critical hazards. | |
| Developmental effects | No known significant effects or critical hazards. | |
| Fertility effects | No known significant effects or critical hazards. | |
| Numerical measures of toxic | | |

Numerical measures of toxici

Acute toxicity estimates

Not available.

| 12. Ecological i | information |
|------------------|-------------|
|------------------|-------------|

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|----------------------------------|--------------------------------------|---------------------------------|----------|
| ethanol | Acute EC50 17.921 mg/l Marine water | Algae - Ulva pertusa | 96 hours |
| | Acute EC50 2000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 25500 µg/l Marine water | Crustaceans - Artemia | 48 hours |
| | | franciscana - Larvae | |
| | Acute LC50 42000 µg/l Fresh water | Fish - Oncorhynchus mykiss | 4 days |
| | Chronic NOEC 4.995 mg/l Marine water | Algae - Ulva pertusa | 96 hours |
| | Chronic NOEC 100 ul/L Fresh water | Daphnia - Daphnia magna - | 21 days |
| | | Neonate | |
| disodium tetraborate decahydrate | Acute EC50 1645 mg/l Fresh water | Crustaceans - Cypris subglobosa | 48 hours |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

Conclusion/Summary : Based on available data, the classification criteria are not met.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| ethanol | -0.35 | - | low |

Mobility in soil

12. Ecological information

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

14. Transport information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|---------------------------|-----------|----------------------|---------|-----|---------------|--|
| DOT Classification | UN1950 | Aerosols | 2.2 | - | PORTENHALE ON | Packaging instruction Passenger aircraft Quantity limitation: 75 kg |
| | | | | | | Cargo aircraft Quantity limitation: 150 kg |
| | | | | | | Special provisions 153 |
| TDG Classification | UN1950 | AEROSOLS | 2.2 | - | | Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2. 17 (Class 2). |
| | | | | | | Explosive Limit and Limited Quantity Index 1 |
| | | | | | | Passenger Carrying Road or Rail Index 75 |
| Mexico Classification | UN1950 | AEROSOLES | 2.2 | - | | Special provisions 63, 190, 277 |

| IMDG Class | UN1950 | AEROSOLS | 2.2 | - | Emergency |
|--------------------|--------|-----------------------------|-----------------|---|---|
| | | | | 2 | schedules (EmS) F-D, S-U |
| | | | | | Special provisions 63, 190, 277, 327, 959, 344 |
| IATA-DGR Class | UN1950 | Aerosols, non- flammable | 2.2 | | Passenger and Cargo Aircraft Quantity limitation: 75 kg Packaging instructions: 203 Cargo Aircraft Only Quantity limitation: 150 kg Packaging instructions: 203 Limited Quantities - Passenger Aircraft |
| Special precautior | | | sure that perso | | sed containers that are oduct know what to do in th |

15. Regulatory information

| U.S. Federal regulations | TSCA 8(a) PAIR: 2-methylpropan-2-ol; α-hexylcinnamaldehyde; 2-(4-tert-butylbenzyl) propionaldehyde; nonanal; octanal; decanal; 7-hydroxycitronellal; bornan-2-one TSCA 8(a) CDR Exempt/Partial exemption: Not determined Commerce control list precursor: 2,2',2"-nitrilotriethanol United States inventory (TSCA 8b): Not determined. Clean Water Act (CWA) 311: sodium hydroxide |
|---|--|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Listed |
| Clean Air Act Section 602 Class I Substances | : Not listed |

15. Regulatory information

| Clean Air Act Section 602 Class II Substances | : | Not listed |
|--|-------------|-----------------|
| DEA List I Chemicals (Precursor Chemicals) | 1 | Not listed |
| DEA List II Chemicals (Essential Chemicals) | : | Not listed |
| SARA 302/304 | | |
| Composition/information | <u>on i</u> | ngredients |
| No products were found. | | |
| SARA 304 RQ | : | Not applicable. |
| SARA 311/312 | | |
| Classification | 1 | Fire hazard |

Sudden release of pressure

Composition/information on ingredients


| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|----------------------------------|---------|----------------|----------------------------------|----------|--|--|
| ethanol | 2.5 - 5 | Yes. | No. | No. | Yes. | No. |
| disodium tetraborate decahydrate | 0.1 - 1 | No. | No. | No. | No. | Yes. |

State regulations

| Massachusetts | : The following components are listed: ETHYL ALCOHOL; DENATURED ALCOHOL |
|------------------------|--|
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: ETHYL ALCOHOL; ALCOHOL |
| Pennsylvania | : The following components are listed: DENATURED ALCOHOL; ETHANOL |
| <u>Canada</u> | |
| WHMIS (Canada) | : Class D-2B: Material causing other toxic effects (Toxic). |
| <u>Canadian lists</u> | |
| Canadian NPRI | : The following components are listed: Ethanol |
| CEPA Toxic substances | : None of the components are listed. |
| Canada inventory | : All components are listed or exempted. |
| Label elements | |
| Signal word | : CAUTION |
| Hazard statements | : CONTENTS UNDER PRESSURE. |
| Precautionary measures | : Keep out of the reach of children. May cause eye irritation. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Avoid breathing vapor or mist. Do not ingest. May cause allergic skin reactions with repeated exposure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F. |
| Recommendations | : People suffering from perfume sensitivity should be cautious when using this product. Air Fresheners do not replace good hygiene practices. |

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability Level 1

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

| Key to abbreviations | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
|------------------------|--|
| Date of issue | : 23/05/2018 |
| Date of previous issue | : 09/10/2015 |
| Version | : 4 |

16. Other information

Prepared by

: Reckitt Benckiser Hull (UK) Dansom Lane Hull, HU8 7DS United Kingdom T +44 (0)1482 326151 F +44 (0)1482 582532

Revision comments : Update of SDS.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.