Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

Lysol No Mess Max Toilet Bowl Cleaner, Pine Scent



1. Product and company identification

Product name	: Lysol No Mess Max Toilet Bowl Cleaner, Pine Scent
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com
Synonym	: D8083526
Product use	: Toilet bowl cleaner

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8083526 v2.0
Formulation #:	: Pine: 8081841 (Block: 8081845, Gel: 8081842)
UPC Code / Sizes	: 40 gram block with 2 – 1.5 gram hyperscent gels.

2. Hazards identification		
Classification of the substance or mixture	: SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN SENSITIZATION - Category 1	
GHS label elements		
Hazard pictograms		
Signal word	: Danger	
Hazard statements	: Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.	
Precautionary statemer	<u>s</u>	
Code # : FF8081841 (D8083526		

2. Hazards identification

General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Wear eye or face protection. Avoid breathing dust. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
Response	: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	: Not applicable.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts sodium dodecylbenzenesulfonate Dihydromyrcenol Terpineol 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one Linalool 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone Tetrahydrolinalool Terpinolene 2-Methylundecanal Alcohols, C12-15, ethoxylated sodium carbonate	15 - 30 15 - 30 10 - 15 5 - 10 2.5 - 5 2.5 - 5 1 - 2.5 1 - 2.5 1 - 2.5 1 - 2.5 1 - 2.5 1 - 2.5	68439-57-6 25155-30-0 18479-58-8 8000-41-7 76-22-2 78-70-6 54464-57-2 78-69-3 586-62-9 110-41-8 157627-86-6 497-19-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of	f necessary firs	st aid	measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

: FF8081841 1 US (D8083526 v2.0)

SDS #

4. First aid measures

Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effec	<u>ts</u>
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: May cause burns to mouth, throat and stomach.
Over-exposure signs/symp	<u>toms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate med	ical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Code #	: FF8081841_1_US	SDS #	: D8083526 v2.0	Date of issue	: 08/01/2015.	3/14
	(D8083526 v2.0)					

4. First aid measures

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	nt	ainment and cleaning up

Small spill	: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Code #	: FF8081841_1_US	SDS #	: D8083526 v2.0	Date of issue	: 08/01/2015.	4/14
	(D8083526 v2.0)					

6. Accidental release measures

Large spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling	
Protective measures :	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, : including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name		Exposure limits
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	ACGIH TLV (United States, 6/2013). TWA: 2 ppm 8 hours. TWA: 12 mg/m ³ 8 hours. STEL: 3 ppm 15 minutes. STEL: 19 mg/m ³ 15 minutes. NIOSH REL (United States, 10/2013). TWA: 2 mg/m ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 2 mg/m ³ 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 2 mg/m ³ 8 hours. Form: Synthetic
Appropriate engineering controls		es, gas, vapor or mist, use process enclosures, neering controls to keep worker exposure to mmended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
ndividual protection measu	ires	

8. Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Block+Gel]
Color	: Green.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: 7 [Conc. (% w/w): 10%]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >96°C (>204.8°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Partially soluble in the following materials: cold water and hot water.

Code #	: FF8081841_1_US	SDS #	: D8083526 v2.0	Date of issue	: 08/01/2015.	6/14
	(D8083526 v2.0)					

9. Physical and chemical properties

Partition coefficient: n-	: Not available.
octanol/water	
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

10. Stability and reactivity

_	-
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sulfonic acids,	LD50 Oral	Rat	2310 mg/kg	-
C14-16-alkane hydroxy and C14-16-alkene, sodium salts				
sodium	LD50 Oral	Rat	438 mg/kg	-
dodecylbenzenesulfonate	LD50 Dermal	Dabbit	>5000 ma/ka	
Dihydromyrcenol		Rabbit	>5000 mg/kg	-
- · ·	LD50 Oral	Rat	3600 mg/kg	-
Terpineol	LD50 Oral	Rat	4300 mg/kg	-
Linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
Tetrahydrolinalool	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Terpinolene	LD50 Oral	Rat	4390 mg/kg	-
2-Methylundecanal	LD50 Dermal	Rabbit	>10 g/kg	-
-	LD50 Oral	Rat	>5 g/kg	-
Alcohols, C12-15, ethoxylated	LD50 Oral	Rat	2 g/kg	-
sodium carbonate	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium dodecylbenzenesulfonate	Eyes - Severe irritant	Rabbit	-	24 hours 250 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
Dihydromyrcenol	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	7.5 Percent	-
ode # : FF8081841_1_U (D8083526 v2.0)		3526 v2.0	Date of issue	: 08/01/2015.	7/14

11. Toxicological information

	Skin - Mild irritant	Rabbit	-	4 hours 0.5	-
				Mililiters	
Ferpineol	Eyes - Mild irritant	Mammal -	-	12.5 Percent	-
		species			
		unspecified			
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				milligrams	
Linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1	-
	Europ Mederate irritant	Dabbit		Mililiters	
	Eyes - Moderate irritant	Rabbit	-	100 microlitoro	-
	Skin - Moderate irritant	Guinea pig		microliters 24 hours 100	
	Skill - Moderale Initalit	Guinea pig	-	milligrams	-
	Skin - Mild irritant	Human	_	72 hours 32	
		liuman		Percent	
	Skin - Mild irritant	Man	_	48 hours 16	-
		inc.		milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 100	-
				milligrams	
Tetrahydrolinalool	Eyes - Moderate irritant	Rabbit	-	0.1 Mililiters	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
- · ·		D 11 1		milligrams	
Terpinolene	Skin - Moderate irritant	Rabbit	-	24 hours 10	-
		Dabbit		Percent	
sodium carbonate	Eyes - Mild irritant	Rabbit	-	0.5 minutes 100	-
				milligrams	
	Eyes - Moderate irritant	Rabbit	_	24 hours 100	_
				milligrams	
0					
Conclusion/Summary					
Skin	: Irritating to skin.				
Eyes	: Severely irritating to eyes	S.			
Sensitization					
Not available.					
Conclusion/Summary					

Conclusion/Summary

Skin

: Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity Not available.

Specific target organ toxicity (single exposure)

11. Toxicological information

Name		Route of exposure	Target organs
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
Terpinolene	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	:	Not available.
Potential acute health effects	2	
Eye contact	1	Causes serious eye damage.
Inhalation	:	May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	1	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	4	May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

Delayed and immediate effec	ts	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>S</u>
Not available.		
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Code # : FF8081841_1_U (D8083526 v2.0)		SDS # : D8083526 v2.0 Date of issue : 08/01/2015. 9/14

11. Toxicological information

Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates	
Route	ATE value
Oral	2915.5 mg/kg
Inhalation (dusts and mists)	46.8 mg/l

12. Ecological information

Product/ingredient name	Result	Species	Exposure
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Acute EC50 4.53 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
sodium dodecylbenzenesulfonate	Acute EC50 29000 μg/l Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
,	Acute EC50 7.81 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 0.15 ppm Fresh water	Daphnia - Daphnia pulex	48 hours
	Acute IC50 112.4 mg/l	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
₋inalool	Acute EC50 36.7 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
erpinolene	Acute EC50 1380 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 763 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 30 to 950 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
Alcohols, C12-15, ethoxylated	Acute EC50 0.7 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 0.39 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 302 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 1400 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 1 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
sodium carbonate	Acute EC50 242000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute LC50 176000 µg/l Fresh water	Crustaceans - Amphipoda	48 hours
	Acute LC50 265000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 300000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
code # : FF8081841_1_U (D8083526 v2.0)	S SDS # : D8083526 v2.0	Date of issue : 08/01/2015.	10/14

12. Ecological information

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
sodium carbonate	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Sulfonic acids,	-1.3	-	low
C14-16-alkane hydroxy and			
C14-16-alkene, sodium salts			
sodium	1.96	-	low
dodecylbenzenesulfonate			
Dihydromyrcenol	3.25	64.8	low
Terpineol	2.6	24.13	low
1,7,7-Trimethylbicyclo[2.2.1]	2.38	-	low
heptan-2-one			
Linalool	2.84	-	low
Tetrahydrolinalool	3.3	99.87	low
Terpinolene	4.47	-	high
Alcohols, C12-15, ethoxylated	2.03 to 6.24	237	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

Code # : FF8081841 1 US (D8083526 v2.0)

SDS #

: D8083526 v2.0 **Date of issue** : 08/01/2015.

15. Regulatory information **U.S. Federal regulations** : TSCA 8(a) PAIR: bornan-2-one; 2-methylundecanal; cinnamaldehyde TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate **Clean Air Act Section 112** : Not listed (b) Hazardous Air **Pollutants (HAPs) Clean Air Act Section 602** : Not listed **Class I Substances** Clean Air Act Section 602 : Not listed **Class II Substances DEA List I Chemicals** : Not listed (Precursor Chemicals) **DEA List II Chemicals** : Not listed (Essential Chemicals) SARA 302/304 Composition/information on ingredients No products were found. **SARA 304 RQ** : Not applicable. SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	15 - 30	No.	No.	No.	Yes.	No.
sodium dodecylbenzenesulfonate	15 - 30	Yes.	No.	No.	Yes.	No.
Dihydromyrcenol	10 -15	Yes.	No.	No.	Yes.	No.
Terpineol	5 - 10	Yes.	No.	No.	Yes.	No.
1,7,7-Trimethylbicyclo[2.2.1]heptan- 2-one	5 - 10	Yes.	No.	No.	Yes.	No.
Linalool	2.5 - 5	Yes.	No.	No.	Yes.	No.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8, 8-tetramethyl-2-naphthalenyl)ethanone	2.5 - 5	No.	No.	No.	Yes.	No.
Tetrahydrolinalool	1 - 2.5	Yes.	No.	No.	Yes.	No.
Terpinolene	1 - 2.5	Yes.	No.	No.	No.	No.
2-Methylundecanal	1 - 2.5	Yes.	No.	No.	Yes.	No.
Alcohols, C12-15, ethoxylated	1 - 2.5	No.	No.	No.	Yes.	No.
sodium carbonate	1 - 2.5	No.	No.	No.	Yes.	No.

State regulations

Massachusetts	: The following components are listed: CAMPHOR; SODIUM SULFATE (SOLUTION); SODIUM DODECYLBENZENE SULFONATE; PRECIPITATED SILICA
New York	 The following components are listed: Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate


Code # : FF8081841_1_US SDS # : D8083526 v2.0 Date of issue : 08/01/2015. 12/14 (D8083526 v2.0)

15. Regulatory information

,	
New Jersey	The following components are listed: CAMPHOR; 2-CAMPHONONE; TERPINOLENE; CYCLOHEXENE, 1-METHYL-4-(1-METHYLETHYLIDENE)-; SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; MINERAL OIL (UNTREATED and MILDLY TREATED); SILICA, AMORPHOUS, PRECIPITATE & GEL
Pennsylvania	: The following components are listed: BICYCLO[2.2.1]HEPTAN-2-ONE, 1,7, 7-TRIMETHYL-; PROPANOL, OXYBIS-; SODIUM SULFATE (SOLUTION); BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; PRECIPITATED SILICA
Label elements	
Signal word	: WARNING
Hazard statements	: Causes severe eye irritation. Causes skin irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Precautionary measures	: Keep out of the reach of children. Do not swallow. Do not get in eyes or on skin or clothing. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

_US SDS #

: D8

16. Other information

Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 08/01/2015.
Date of previous issue	: 06/10/2013
Version	: 2
Prepared by	: Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.