## SAFETY DATA SHEET

MUCINEX® FAST-MAX® Liquid Gels - Day Night Cold & Flu (Night)



1. Product and company identification	
Product name	: MUCINEX® FAST-MAX® Liquid Gels - Day Night Cold & Flu (Night)
Distributed by	: RB Health (US) LLC Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com
Product use	: Analgesic, Cough Suppressant and Expectorants.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	:	D8222850 v5.0
Formulation #:	:	3015611 v1.0

Classification of the substance or mixture	: Not classified
GHS label elements	
Hazard pictograms	: Not applicable.
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statement	ts
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.

## 2. Hazards identification

Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

## 3. Composition/information on ingredients

Substance/mixture

: Mixture Contains Inactive ingredients: FD&C Yellow#6, FD&C Blue #40, gelatin, glycerin, Povidone(K-12), propylene glycol, purified water, sorbitol sorbitan solution, and white edible ink(contains Shellac as one of the sub-ingredients)

Ingredient name	%	CAS number
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	30 - 60	25322-68-3
paracetamol	15 - 30	103-90-2
dextromethorphan	1 - 2.5	125-71-3
phenylephrine hydrochloride	0.1 - 1.0	61-76-7
doxylamine hydrogen succinate	0.1 - 1.0	562-10-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

Description of necessary first	t aid measures
Eye contact	: In case of contact with eyes, rinse immediately with plenty of water. If irritation persists, get medical attention.
Inhalation	: In the event of any complaints or symptoms, avoid further exposure. Maintain an open airway. Get medical attention if adverse health effects persist or are severe.
Skin contact	: In the event of any complaints or symptoms, avoid further exposure. Rinse skin with water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Get medical attention if adverse health effects persist or are severe. Do not induce vomiting. If affected person is conscious, give plenty of water to drink.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact :	Irritating to eyes.
Inhalation :	No known significant effects or critical hazards.
Skin contact :	No known significant effects or critical hazards.
Ingestion :	No known significant effects or critical hazards.
Over-exposure signs/sympton	<u>ns</u>
Eye contact :	No specific data.
Inhalation :	No specific data.
Skin contact :	No specific data.

## 4. First aid measures Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Specific treatments : No specific treatment. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

## 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

tive equipment and emergency procedures
: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
ntainment and cleaning up
: Stop leak if without risk. Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container.
<ul> <li>Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.</li> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See section 13 for waste disposal information.</li> </ul>

3/12

## 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 15 to 25°C (59 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

#### <u>Control</u>

Ingredient name		Exposure limits
Poly(oxy-1,2-ethanediyl),α- ethoxylated	hydro-ω-hydroxy- Ethane-1,2-diol,	AIHA WEEL (United States, 10/2011). TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Aerosol
Glycerol		OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
Appropriate engineering controls	: Good general ventilation should be contaminants.	e sufficient to control worker exposure to airborne
Environmental exposure controls	they comply with the requirements	or process equipment should be checked to ensure of environmental protection legislation. In some engineering modifications to the process equipment ions to acceptable levels.
ndividual protection meas	<u>ures</u>	
Hygiene measures	eating, smoking and using the lave Appropriate techniques should be	noroughly after handling chemical products, before atory and at the end of the working period. used to remove potentially contaminated clothing. re reusing. Ensure that eyewash stations and safety on location.
Eye/face protection	: If operating conditions cause high	dust concentrations to be produced, use dust goggle
Skin protection		
Hand protection		oves complying with an approved standard should be nemical products if a risk assessment indicates this is

## 8. Exposure controls/personal protection

Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: None required. However, use of adequate ventilation is good industrial practice.

## 9. Physical and chemical properties

#### Appearance

Physical state	1	Solid. [Solid. [liquid filled capsules]]]
Color	1	Green.
Odor		Characteristic.
Odor threshold	:	Not available.
pН		Not available.
Melting point		Not available.
Boiling point		Not available.
Flash point		Not applicable.
Evaporation rate	1	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	1	Not available.
Solubility	:	Easily soluble in the following materials: hot water. Soluble in the following materials: cold water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	:	Not available.

## 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients.
: The product is stable.
: Under normal conditions of storage and use, hazardous reactions will not occur.
: No specific data.
: Do not use with other products.
: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **11. Toxicological information**

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated	LD50 Oral	Rat	5000 mg/kg	-
paracetamol	LD50 Oral	Rat	1944 mg/kg	-
Glycerol C.I. Acid Yellow 3	LD50 Oral LD50 Oral	Rat Rat	12600 mg/kg 2 g/kg	-
dextromethorphan phenylephrine hydrochloride	LD50 Oral LD50 Oral	Rat	116 mg/kg 350 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

#### Conclusion/Summary Skin

: No known significant effects or critical hazards.

Eyes

Lyes

: Based on Calculation method: Causes eye irritation.

Respiratory

: No known significant effects or critical hazards.

#### **Sensitization**

Not available.

# Conclusion/SummarySkin: No known significant effects or critical hazards.Respiratory: No known significant effects or critical hazards.Mutagenicity

Not available.

**Conclusion/Summary** : No known significant effects or critical hazards.

#### **Carcinogenicity**

Not available.

**Conclusion/Summary** : No known significant effects or critical hazards.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
paracetamol	-	3	-

#### **Reproductive toxicity**

Not available.

## 11. Toxicological information

Conclusion/Summary: No known significant effects or critical hazards.TeratogenicityNot available.Conclusion/Summary: No known significant effects or critical hazards.

#### \_\_\_\_\_

#### Specific target organ toxicity (single exposure)

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

#### Information on the likely : Not available. routes of exposure

#### Potential acute health effects

Eye contact	: Irritating to eyes.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
<b>Conclusion/Summary</b>	: No known significant effects or critical hazards.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Code # : FF3015611_D82 NA	222850 SDS # : D8222850 v5.0 Date of issue : 11/01/2019

7/12

## **11. Toxicological information**

**Fertility effects** 

: No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### Acute toxicity estimates

Not available.

## **12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated	Acute LC50 >1000000 µg/l Fresh water	Fish - Salmo salar - Parr	96 hours
paracetamol	Acute EC50 4.8 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
Glycerol	Acute LC50 814000 µg/l Fresh water Acute LC50 10000 mg/l Fresh water Acute LC50 5000 mg/l Fresh water	Fish - Pimephales promelas Daphnia Fish	96 hours 24 hours 24 hours

#### Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
Glycerol	OECD 301D Ready Biodegradability - Closed Bottle Test	92 % - 30 c	ays	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
Glycerol	-		-		Readily	

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated	-	3.2	low
paracetamol	0.4	3.162	low
Glycerol	-1.76	-	low
phenylephrine hydrochloride	-0.31	-	low

#### Mobility in soil

Soil/water p	artition
coefficient	(Koc)

: Not available.

#### Other adverse effects

: No known significant effects or critical hazards.

8/12

Code #	: FF3015611_D8222850 SDS #	: D8222850 v5.0	Date of issue : 11/01/2019	
	NA			

## 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not Regulated	Not applicable.	Not available.	-		-
TDG Classification	Not Regulated	Not applicable.	Not available.	-		-
Mexico Classification	Not Regulated	Not applicable.	Not available.	-		-
IMDG Class	Not Regulated	Not applicable.	Not available.	-		-
IATA-DGR Class	Not Regulated	Not applicable.	Not available.	-		-

## upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

PG\* : Packing group

## 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Pa

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 : Not listed (b) Hazardous Air Pollutants (HAPs)

## **15. Regulatory information**

Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304	

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ	: Not applicable.
-------------	-------------------

#### SARA 311/312

**Classification** : Not applicable.

#### **Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Poly(oxy-1,2-ethanediyl),α-hydro-ω- hydroxy- Ethane-1,2-diol, ethoxylated	30 - 60	No.	No.	No.	Yes.	No.
paracetamol	15 - 30	Yes.	No.	No.	Yes.	No.
C.I. Acid Yellow 3	1 - 2.5	No.	No.	No.	Yes.	No.
dextromethorphan	1 - 2.5	No.	No.	No.	Yes.	No.
phenylephrine hydrochloride	0.1 - 1	No.	No.	No.	Yes.	No.

#### **State regulations**

Massachusetts	: The following components are listed: GLYCERINE MIST; C.I. ACID BLUE 9, DISODIUM SALT
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; PROPYLENE GLYCOL; 1,2-PROPANEDIOL</li> </ul>
Pennsylvania	: The following components are listed: 1,2,3-PROPANETRIOL; 1,2-PROPANEDIOL
<u>Canada</u>	
WHMIS (Canada)	: Class D-1B: Material causing immediate and serious toxic effects (Toxic).
<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: All components are listed or exempted.
Label elements	
Precautionary measures	: Read label before use.
	Avoid contact with eyes.
	Keep out of reach of children.

## **15. Regulatory information**

## 16. Other information



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

2

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 11/01/2019
Date of previous issue	: 11/23/2015
Version	: 5.0

## **16. Other information**

#### Prepared by

: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

**Revision comments** : Project gemini-change in business address on section 1

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.