Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

FINISH® Gel - All Scents (Canada)



1. Product and company identification		
Product name	: FINISH® Gel - All Scents (Canada)	
Distributed by	: Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000	
	Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600	
Emergency telephone number (Medical)	: 1-800-338-6167	
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887	
Website:	: http://www.rbnainfo.com	

Product use : Detergent for use in domestic automatic dishwashers

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	D0250346v4.0	
Formulation #:	FF0056445v3.0 (Lemon), FF0204431v3.0 (Orange), FF0204433v3.0 (Gree	en Apple)

2. Hazards identification Classification of the substance or mixture : SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A GHS label elements : Ye IRRITATION - Category 2 EYE IRRITATION - Category 2A

2. Hazards identification

Signal word	: Warning
Hazard statements	: Causes serious eye irritation. Causes skin irritation.
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling.
Response	: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
Silicic acid, sodium salt potassium hydroxide	10 - 30 1 -5	1344-09-8 1310-58-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

1. . . .

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

2/14

4. First aid measures

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed			
Potential acute health effects			
Eye contact	: Causes serious eye irritation.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: Causes skin irritation.		
Ingestion	: No known significant effects or critical hazards.		
<u>Over-exposure signs/sym</u>	<u>otoms</u>		
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: irritation redness		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

5. Fire-fighting measures

Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protect	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling	L	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name		Exposure limits
potassium hydroxide		ACGIH TLV (United States, 4/2014). C: 2 mg/m ³ OSHA PEL 1989 (United States, 3/1989). CEIL: 2 mg/m ³ NIOSH REL (United States, 10/2013). TWA: 2 mg/m ³ 10 hours.
Appropriate engineering controls	: Good general ventilation should be contaminants.	e sufficient to control worker exposure to airborne
Environmental exposure controls	they comply with the requirements	process equipment should be checked to ensure of environmental protection legislation. In some ngineering modifications to the process equipment ons to acceptable levels.
Individual protection measu	ires	
Hygiene measures	eating, smoking and using the lava Appropriate techniques should be	oroughly after handling chemical products, before itory and at the end of the working period. used to remove potentially contaminated clothing. e reusing. Ensure that eyewash stations and safety on location.
Eye/face protection	assessment indicates this is neces gases or dusts. If contact is possil	approved standard should be used when a risk sary to avoid exposure to liquid splashes, mists, ole, the following protection should be worn, unless degree of protection: chemical splash goggles.
Skin protection		
Hand protection	worn at all times when handling ch necessary. Considering the param during use that the gloves are still noted that the time to breakthrough	ves complying with an approved standard should be emical products if a risk assessment indicates this is neters specified by the glove manufacturer, check retaining their protective properties. It should be n for any glove material may be different for different of mixtures, consisting of several substances, the ot be accurately estimated.
Body protection	 Personal protective equipment for performed and the risks involved a handling this product. 	the body should be selected based on the task being nd should be approved by a specialist before
Other skin protection		tional skin protection measures should be selected I and the risks involved and should be approved by a luct.
Respiratory protection	appropriate standard or certification	for exposure, select a respirator that meets the n. Respirators must be used according to a nsure proper fitting, training, and other important

9. Physical and chemical properties

Appearance

Appearance		
Physical state	Gel	
Color	Blue.	
Odor	Green Apple odour	
Odor threshold	Not available.	
pH	11.3	
•	-	
Melting point	Not available.	
Boiling point	Not available.	
Flash point	Closed cup: 100°C (212°F) [flash point value based on ingredient data]	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Lower and upper explosive (flammable) limits	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	1.1	
Solubility	Not available.	
Partition coefficient: n- octanol/water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Dynamic (room temperature): 19800 mPa·s (19800 cP)	
Flow time (ISO 2431)	Not available.	
Aerosol product		
Heat of combustion	0.0000000000065 kJ/g	
		-

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Do not mix with household chemicals.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity					
Product/ingree	dient name	Result	Species	Dose	Exposure
potassium hydr	oxide	LD50 Oral	Rat	273 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Acute toxicity

11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silicic acid, sodium salt	Eyes - Severe irritant	Rabbit	-	24 hours 10	-
,				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 500	-
potassium hydroxide	Eyes - Moderate irritant	Rabbit	_	milligrams 24 hours 1	
		i tubbit		milligrams	
	Skin - Severe irritant	Guinea pig	-	24 hours 50	-
	Skin - Severe irritant	Human		milligrams 24 hours 50	
		Tuman	-	milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 50	-
				milligrams	
Conclusion/Summary					
Skin	: Based on Calculation me	thod: Causes sk	in irritation.		
Eyes	: Based on Calculation me	thod: Causes se	erious eye irr	itation.	
Respiratory	: Based on available data,	the classification	n criteria are	not met.	
Sensitization					
Not available.					
Conclusion/Summary	. Deced on sucilable data	the clearification			
Skin	: Based on available data,				
Respiratory	: Based on available data,	the classification	n criteria are	not met.	
Mutagenicity					
Not available.					
Conclusion/Summary	: Based on available data,	the classification	n criteria are	not met.	
Carcinogenicity					
Not available.					
			., .		
Conclusion/Summary	: Based on available data,	the classification	n criteria are	not met.	
Reproductive toxicity					
Not available.					
Conclusion/Summary	: Based on available data,	the classification	n criteria are	not met.	
Teratogenicity					
Not available.					
Conclusion/Summary	: Based on available data,	the classification	n criteria are	not met.	
Specific target organ toxici	ty (single exposure)				
Not available.	ty (single exposure)				
Specific target organ toxici	<u>ty (repeated exposure)</u>				
Not available.					
Appiration barard					
Aspiration hazard Not available.					
NUL AVAIIADIE.					

7/14

11. Toxicological information

	mormation
Information on the likely routes of exposure	: Not available.
Potential acute health effect	<u>ts</u>
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes skin irritation.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the pl	nysical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Long term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Potential chronic health effects Not available. **Conclusion/Summary** : Based on available data, the classification criteria are not met. General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards. Teratogenicity : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Route ATE value Oral 6852.7 mg/kg

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Silicic acid, sodium salt	Acute EC50 33.53 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
potassium hydroxide	Acute LC50 494000 µg/l Fresh water Acute LC50 80 ppm Fresh water	Daphnia - Daphnia magna Fish - Gambusia affinis - Adult	48 hours 96 hours
potassium hydroxide	Acute LC50 80 ppm Fresh water		96 hou

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

Conclusion/Summary : Based on available data, the classification criteria are not met.

Bioaccumulative potential

Not available.

Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information	
ode # : D02	2503462 (Canada)	SDS # : D025	0346v4.0	Date of iss	ue : 18/	/06/2018	9/14

	UN3082	ENVIRONMENTALLY	9		Reportable quantity
		HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium hypochlorite, solution, potassium hydroxide) RQ (sodium hypochlorite, solution, potassium hydroxide)			12484.4 lbs / 5667.9 kg [1274.3 gal / 4823 8 L] The classification of the product is due solely to the presence of one or more US DOT-listed 'Hazardous substances' that are subject to reportable quantity requirements and only applies to shipments of packages greater than, or equal to, the product reportable quantity. Package sizes less than the product reportable quantity are not regulated as hazardous materials.
TDG Classification	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium hypochlorite, solution). Marine pollutant (sodium hypochlorite, solution)	9	111	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2. 45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by
					road or rail.
Mexico Classification	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium hypochlorite, solution)	9	111	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg

D0250346v4.0							
14. Transpo	rt infor	ma	ation				
IMDG Class	UN3082		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium hypochlorite, solution). Marine pollutant (sodium hypochlorite, solution)	9			This product is not regulated as a dangerous good when transported in sizes o ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4 1.1.4 to 4.1.1.8.
IATA-DGR Class	UN3082		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (sodium hypochlorite, solution)	9	111		This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
PG* : Packing group 15. Regulato U.S. Federal regulat	ory info		nation SCA 8(a) CDR Exempt/F	Partial avom	ntion: Not	determined	
U.S. Federal regula	uons		Inited States inventory (Inited States inventory (Ilean Water Act (CWA) 3 Ilean Water Act (CWA) 3 Ilean Water Act (CWA) 3	TSCA 8b): N 07: Sulfuric a 11: sodium h	ot determi icid, zinc s	ined. alt, hydrate (*	,
Clean Air Act Sec (b) Hazardous Air Pollutants (HAPs)		: N	lot listed				
Clean Air Act Sect Class I Substance	tion 602	: N	lot listed				
Clean Air Act Sect Class II Substance		: N	lot listed				
DEA List I Chemic (Precursor Chemic		: N	lot listed				
DEA List II Chemic (Essential Chemic	cals) cals	: N	lot listed				
DEA List II Chemic	cals) cals :als)						

No products were found.

15. Regulatory information

SARA 304 RQ

: Not applicable.

SARA 311/312 Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Silicic acid, sodium salt		No.	No.	No.	Yes.	No.
potassium hydroxide		No.	No.	No.	Yes.	No.

State	regu	lations

Massachusetts	: The following components are listed: POTASSIUM HYDROXIDE
New York	: The following components are listed: Potassium hydroxide
New Jersey	: The following components are listed: POTASSIUM HYDROXIDE; CAUSTIC POTASH
Pennsylvania	: The following components are listed: POTASSIUM HYDROXIDE (K(OH))
<u>Canada</u>	
WHMIS (Canada)	: Not a WHMIS controlled material.
<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: All components are listed or exempted.
Label elements	
Signal word	: CAUTION IRRITANT
Hazard statements	: MAY IRRITATE EYES AND SKIN. DANGEROUS FUMES FORM WHEN MIXED WITH OTHER PRODUCTS.
Precautionary measures	 Keep out of reach of children. DO NOT mix with any other products such as dishwashing liquids, cleaning products or ammonia. Do not get in eyes, on skin or on clothing. Not for handwashing. Contains Sodium Disilicate, Potassium Hydroxide and Sodium Hypochlorite.

16. Other information

Hazardous Material Information System (U.S.A.)	:			
		Health	*	2
		Flammability		0
		Physical hazards		0
		Personal protection		В

16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

5

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 18/06/2018
Date of previous issue	: 13/06/2016
Version	: 4.0
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

 Revision comments
 : Update of SDS.

 Indicates information that has changed from previously issued version.

 Notice to reader

16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.