(D8223908 v1.0)

# SAFETY DATA SHEET

HEALTH - HYGIENE - HOME

Airborne Berry and Citrus Chewable

# 1. Product and company identification

Product name	: Airborne Berry and Citrus Chewable
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com
Product use	: Vitamins.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8223908 v2.0
Formulation #:	: 8211117 v1.0 8211119 v1.0
UPC Code / Sizes	: 32ct: Bottle 120cc HDPE White 38mm;64ct: Bottle 275cc HDPE White 45mm Alpha; 116ct: Bottle 400cc HDPE White 53mm

Classification of the substance or mixture	: Not classified
GHS label elements	
Hazard pictograms	Not applicable.
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statement	t <u>s</u>
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.

# 2. Hazards identification

Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

# 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
ascorbic acid silicon dioxide 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran- 6-yl acetate	15 - 30 1 - 2.5 0.1 - 1	50-81-7 7631-86-9 7695-91-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

### **Description of necessary first aid measures**

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed		
Potential acute health effects		
Eye contact	No known significant effects or critical hazards.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	No known significant effects or critical hazards.	
Ingestion	No known significant effects or critical hazards.	
Over-exposure signs/sympto	<u>ns</u>	
Eye contact	No specific data.	
Inhalation	No specific data.	
Skin contact	No specific data.	
Ingestion	No specific data.	

Indication of immediate medical attention and special treatment needed, if necessary

# 4. First aid measures Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Specific treatments : No specific treatment. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

# 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental release measures

(D8223908 v1.0)

Personal precautions, protec	ive equipment and emergency procedures	
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.	
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for co	ntainment and cleaning up	
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	
Code # : FF8211117_FF821	1119_ SDS # : D8223908 v2.0 Date of issue : 31/08/2015. 3/10	

# 7. Handling and storage

### Precautions for safe handling

<b>Protective measures</b> : Put on appropriate personal protective equipment (see Section 8).
--

Conditions for safe storage, including any incompatibilities
 Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# 8. Exposure controls/personal protection

### **Control**

### **Occupational exposure limits**

Ingredient name	Exposure limits	
silicon dioxide	NIOSH REL (Uni TWA: 6 mg/m³ 1	<b>ted States, 10/2013).</b> 10 hours.
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Environmental exposure controls	Emissions from ventilation or work process equipment sho they comply with the requirements of environmental protect cases, fume scrubbers, filters or engineering modifications will be necessary to reduce emissions to acceptable levels	tion legislation. In some to the process equipment
Individual protection meas		
Hygiene measures	Wash hands, forearms and face thoroughly after handling eating, smoking and using the lavatory and at the end of the Appropriate techniques should be used to remove potentia Wash contaminated clothing before reusing. Ensure that e showers are close to the workstation location.	e working period. Ily contaminated clothing.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this i necessary.	
Body protection	: Personal protective equipment for the body should be selected based on the task bein performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by specialist before handling this product.	
Respiratory protection	Use a properly fitted, particulate filter respirator complying with an approved standard i a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.	

# 9. Physical and chemical properties

### **Appearance**

Physical state	:	Solid. [Tablets]
Color	:	Off-white.
Odor		Fruity.
Odor threshold	-	Not available.
рН		Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.

# 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients.
: The product is stable.
: Under normal conditions of storage and use, hazardous reactions will not occur.
: No specific data.
: No specific data.
: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
_

# 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Not available.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
silicon dioxide	Eyes - Mild irritant	Rabbit		24 hours 25 milligrams	-

### **Sensitization**

Not available.

5/10

# 11. Toxicological information

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### **Classification**

Product/ingredient name	OSHA	IARC	NTP
silicon dioxide	-	3	-

### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on the likely : Not available. routes of exposure

### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics					
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	: No specific data.				

Delayed and immediate effects and also chror	nic effects from short and long term exposure
Short term exposure	
Potential immediate : Not available. effects	
Potential delayed effects : Not available.	
Long term exposure	
Potential immediate : Not available. effects	
Potential delayed effects : Not available.	
Code # : FF8211117_FF8211119_ SDS # (D8223908 v1.0)	: D8223908 v2.0 Date of issue : 31/08/2015.

# **11. Toxicological information**

### Potential chronic health effects

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Not available.

# **12. Ecological information**

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
silicon dioxide	Acute EC50 55.5 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Chronic EC10 7.2 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Not available.

 Mobility in soil

 Soil/water partition
 : Not available.

 coefficient (Koc)
 : Not available.

### **Other adverse effects** : No known significant effects or critical hazards.

# 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the
	requirements of environmental protection and waste disposal legislation and any
	regional local authority requirements. Dispose of surplus and non-recyclable products
	via a licensed waste disposal contractor. Waste should not be disposed of untreated to
	the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
	Waste packaging should be recycled. Incineration or landfill should only be considered
	when recycling is not feasible. This material and its container must be disposed of in a

# 13. Disposal considerations

safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

# **15. Regulatory information**

U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): Not determined.
	Clean Water Act (CWA) 307: Sulfuric acid, zinc salt (1:1), monohydrate; sodium selenite
	Clean Water Act (CWA) 311: Sulfuric acid, zinc salt (1:1), monohydrate; sodium selenite
Clean Air Act Section 112 (b) Hazardous Air	: Not listed

Pollutants (HAPs)	
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals	: Not listed

(Essential Chemicals)

### SARA 302/304

### **Composition/information on ingredients**

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
sodium selenite	< 0.1	Yes.	100 / 10000	-	100	-

SARA 304 RQ

: 583822.3 lbs / 265055.3 kg

### SARA 311/312

Classification : Not applicable.

### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
silicon dioxide	1 - 2.5	No.	No.	No.	Yes.	No.

### **State regulations**

M	as	sa	ch	us	etts
			••••		0110

- ts : The following components are listed: AMORPHOUS SILICA; CELLULOSE; MAGNESIUM OXIDE FUME
  - : None of the components are listed.
- New York New Jersey
- : The following components are listed: CELLULOSE; MAGNESIUM OXIDE

Code # : FF8211117\_FF8211119\_ SDS # (D8223908 v1.0) : D8223908 v2.0 Date of iss

Date of issue : 31/08/2015.

# 15. Regulatory information


Pennsylvania

: The following components are listed: SILICA; CELLULOSE; MAGNESIUM OXIDE (MGO)

### Label elements

Precautionary measures : Read label before use. Avoid contact with eyes. Keep out of reach of children.

# 16. Other information



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

•

National Fire Protection Association (U.S.A.)

(D8223908 v1.0)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abb	reviations :	IATA = Internation IBC = Intermedia IMDG = Internat LogPow = logari MARPOL 73/78	entration Factor Harmonized System onal Air Transport As ate Bulk Container tional Maritime Dang ithm of the octanol/w = International Conv d by the Protocol of	ssociation erous Goods ater partition coef rention for the Pre	ficient vention of Pollution F	
Code #	FF8211117_FF82111	19_ SDS #	: D8223908 v2.0	Date of issue	: 31/08/2015.	9/10

# 16. Other information

Date of issue	: 31/08/2015.
Date of previous issue	: 25/08/2015
Version	: 2
Prepared by	: Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

**Revision comments** 

: Addition of a formula number

✓ Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.