RECKITT BENCKISER

Material Safety Data Sheet

Section 1. Product and Company Identification

METALIST® 20 FLOOR FINISH	MSDS#	Not available.
Acrylic polymer floor finish.	Validation Da	te 6/16/2009
	Print Date	6/16/2009
Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225	<u>In case of</u> Emergeney:	Telephone: 800-677-9218 (Professional Products)
Not available.	Transportation	Chemtrec: 1-800-424-9300
377011	Emergencies:	(U.S. & Canada)
		Outside the U.S & Canada (North America), call: 703-527-3887
954-069A (377011 v3)		
36241-05055 (5 gallon pail).		
	Acrylic polymer floor finish. Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225 Not available. 377011 954-069A (377011 v3)	Acrylic polymer floor finish. Validation Da Reckitt Benckiser North America, Inc. Print Date Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225 In case of Emergency: Not available. Transportation 377011 Emergencies:

Section 2. Composition and Information on IngredientsNameCAS #% by WeightExposure Limits : TLV/PEL1) DIETHYLENE GLYCOL MONOETHYL
ETHER111-90-04.46Not available.

Section 3. Hazards Identification

Emergency Overview

KEEP OUT OF REACH OF CHILDREN.

WARNING: Child can fall into 5 gal. bucket and drown. Keep children away from buckets with even a small amount of liquid.

Section 4. First Aid Measures				
Eye Contact	As with any material contacting the eye, it is recommended to rinse the eyes thoroughly with water.			
Skin Contact	In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Rinse mouth with water. Contact a physician or poison control center if symptoms develop. NEVER give an unconscious person anything to ingest.			

Section 5. Fire and Explosion Data

Flammability	May be combustible at high temperature. See Section 14 for any Shipping Classifications.		
Flash Point	CLOSED CUP: Higher than 93.3°C (>200°F). (Tagliabue.).		
Explosive Limits in Air	Not available.		
Products of Combustion	Not available.		
Fire and Explosion Hazards	None known.		

METALIST® 20 F	LOOR FINISH	Page Number: 2
Fire Fighting Media and Instructions	Use water spray, foam, dry chemical or carbon dioxide, as suitable for the s	urrounding fire.
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and protective clothing appropria fire.	te for fighting a typical chemical

 Accidental Spill
 Small spills: Dilute with water and mop up, or absorb with an inert material and place in an appropriate waste disposal container.

 Large spills should be diked, contained and collected for later disposal according to local, state or federal regulations.

Section 7. Handling and Storage

Handling and Storage KEEP OUT OF REACH OF CHILDREN.

Store containers in an upright position in a cool, dry place in areas inaccessible to children and pets. Keep from freezing. Never pour unused finish back into original container. Not recommended for use on wood or cork floors.

WARNING: Child can fall into 5 gal. bucket and drown. Keep children away from buckets with even a small amount of liquid.

Section 8. Exposure Controls/Personal ProtectionVentilation RequirementsNone required.Eye ProtectionAvoid contact with eyes. Emergency responders should wear full eye and face protection.Skin ProtectionNone required. Emergency responders should wear impermeable gloves.Respiratory ProtectionNone required.Other ProtectionEmergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.Work/Hygienic PracticesWashing with soap and water after use is recommended as good hygienic practice to prevent possible eye

Section 9. Physical and Chemical Properties

irritation from hand contact.

Description	Liquid. (Thin opaque liquid, milky.)	Odor	Citrus.
рН	8.3 - 9.1 [Basic.]	Color	White. Opaque liquid.
Boiling/Condensation Point	Not determined.		
Specific Gravity	1.02 (Water = 1)		
Vapor Pressure	Not determined.		
Vapor Density	>1		
Viscosity	Not available.		
Solubility	Complete.		
Physical Chemical Comments	Not available.		

METALIST® 20 FLOOR FINISH

Section 10. Stability and Reactivity Data

-	-
Chemical Stability	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information			
Exposure effects			
Eye Contact	May cause slight eye irritation upon direct contact with the eyes.		
Skin Contact	Not known to cause skin irritation.		
Inhalation	None known.		
Ingestion	Not orally toxic.		
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.		

Section 12. Ecological Information

Ecotoxicity

Not available.

Section 13. Disposal Considerations

Waste Disposal

Dispose of in accordance with local, state and federal regulations.

Section 14. Transport Information

DOT Classification	Not regulated by DOT (United States).						
Proper Shipping Name	Not applicable.						
DOT Identification Number	Not applicable.	Not applicable.					
Packing Group	Not applicable.						
Maritime Transportation	Not applicable.						
Hazardous Substances Reportable Quantity	Not applicable.						
Special Provisions for Transport	Not applicable.						
TDG Classification	Not regulated by TDG.						
ADR Classification	Not applicable.						
IMDG Classification	Not regulated by IMDG.						
IATA Classification	Not regulated by IATA.						

Continued on Next Page

METALIST® 20 FLOOR FINISH

Section 15. Regulatory Information

Federal and State	SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:						
Regulations	1) DIETHYLENE GLYCOL M	ONOETHYL ETHER (CAS# 111-90-0)) Not available.	4.46	Not avai		
	Avai California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act: None						
Other Classifications	WHMIS (Canada) Not controlled under WHMIS (Canada).						
New Jersey Right-To-Know Regulation:	WATER CAS #: 7732-18-5 ACRYLIC COPOLYMER CA: DIETHYLENE GLYCOL MON	S #: N/A NOETHYL ETHER CAS #: 111-90-0 N CAS #: N/A					

Section 16. Other Information

HMIS (U.S.A.)	Health Hazard	0	National Fire Protection			Fire Hazard
	Fire Hazard	1	Association (U.S.A.)	Health	0 0	Reactivity
	Reactivity	0		Health		Specific hazard
	Personal Protection	A			\sim	
			NFPA Aerosol Level	Not app	plicable.	
Reviewed by Regulatory on 6/16/2009.		Printed 6/16/2009.				

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.