SAFETY DATA SHEET

Air Wick Essential Mist Sweet Vanilla & Shea Butter



1. Product and company identification : Air Wick Essential Mist Sweet Vanilla & Shea Butter Product name : Reckitt Benckiser LLC. **Distributed by** Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600 Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000 **Emergency telephone** : 1-800-338-6167 number (Medical) **Emergency telephone** : 1-800-424-9300 (U.S. & Canada) CHEMTREC number (Transport) Outside U.S. and Canada (North America), call Chemtrec:703-527-3887 Website: : http://www.rbnainfo.com

Product use : Air care products (non-aerosol)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8404537
Formulation #	: FF3268363

2. Hazards identification

Classification of the	: FLAMMABLE LIQUIDS - Category 4
substance or mixture	ASPIRATION HAZARD - Category 1

GHS label elements

2. Hazards identification

Hazard pictograms



Signal word	: Danger
Hazard statements	: Combustible liquid. May be fatal if swallowed and enters airways.
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves, protective clothing and eye or face protection. Keep away from flames and hot surfaces. No smoking.
Response	: IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.
Storage	: Store locked up. Store in a well-ventilated place. Keep cool.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
Distillates (petroleum), hydrotreated light Hydrocarbons, C11-C13, isoalkanes, <2% aromatics 3,5,5-Trimethylhexyl Acetate Linalool d-Limonene	30 - 60 10 - 30 5 - 10 0.1 - 1 0.1 - 1	64742-47-8 64742-48-9 58430-94-7 78-70-6 5989-27-5

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

4. First aid measures

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: May be fatal if swallowed and enters airways.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following: nausea or vomiting
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	onta	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact
Code # : FF3268363 (D8404537) NA		SDS # : D8404537 Date of issue : 11/1/2023 4/14

6. Accidental release measures

information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name		Exposure limits
Distillates (petroleum), hydrotreated light		ACGIH TLV (United States, 1/2022). [Kerosene] Absorbed through skin. TWA: 200 mg/m³, (as total hydrocarbon vapor) 8 hours.
d-Limonene		OARS WEEL (United States, 1/2021). TWA: 30 ppm 8 hours.
Appropriate engineering controls	other engineering controls to recommended or statutory lin	lation. Use process enclosures, local exhaust ventilation or keep worker exposure to airborne contaminants below any nits. The engineering controls also need to keep gas, below any lower explosive limits. Use explosion-proof
Environmental exposure controls	they comply with the requiren cases, fume scrubbers, filters	work process equipment should be checked to ensure nents of environmental protection legislation. In some s or engineering modifications to the process equipment missions to acceptable levels.
Individual protection measu	<u>ires</u>	
Hygiene measures	eating, smoking and using the Appropriate techniques shoul	ace thoroughly after handling chemical products, before e lavatory and at the end of the working period. Id be used to remove potentially contaminated clothing. before reusing. Ensure that eyewash stations and safety kstation location.

8. Exposure controls/personal protection

Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>		
Physical state	4	Liquid.
Color	1	Colorless.
Odor	1	Characteristic.
Odor threshold	1	Not available.
рН	1	Not available.
Melting point/freezing point	1	Not available.
Boiling point, initial boiling point, and boiling range	1	Not available.
Flash point	:	Closed cup: 77.5°C (171.5°F)
Evaporation rate	1	Not available.
Flammability	1	Not available.
Lower and upper explosion limit/flammability limit	1	Not available.
Vapor pressure	:	Not available.
Relative vapor density	1	Not available.
Relative density	1	0.78 to 0.81
Solubility(ies)	1	
Not available.		
Solubility in water	:	Not available.

Section 9. Physical and chemical properties and safety characteristics Partition coefficient: n-: Not applicable. octanol/water Auto-ignition temperature : Not available. **Decomposition temperature** : Not available. Viscosity : Kinematic (40°C (104°F)): <7 mm²/s (<7 cSt) Particle characteristics Median particle size : Not applicable. 10. Stability and reactivity Reactivity : No specific test data related to reactivity available for this product or its ingredients. **Chemical stability** : The product is stable. **Possibility of hazardous** : Under normal conditions of storage and use, hazardous reactions will not occur. reactions : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, Conditions to avoid braze, solder, drill, grind or expose containers to heat or sources of ignition. : Reactive or incompatible with the following materials: **Incompatible materials** oxidizing materials **Hazardous decomposition** Under normal conditions of storage and use, hazardous decomposition products should 5 products not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum),	LD50 Dermal	Mammal -	>3160 mg/kg	-
hydrotreated light		species		
		unspecified		
	LD50 Oral	Mammal -	>15000 mg/kg	-
		species		
		unspecified		
3,5,5-Trimethylhexyl Acetate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	4250 mg/kg	-
Linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
d-Limonene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-

Irritation/Corrosion

(D8404537) NA

D8404537

11. Toxicological information

Product/ingredient name	Result		Species	Score	Exposure	Observation
3,5,5-Trimethylhexyl Acetate		lerate irritan		-	-	-
inalool		derate irritar		-	1 hours 0.1 MI	-
		derate irritar		-	100 uL	-
	Skin - Mild	irritant	Human	-	72 hours 32 %	-
	Skin - Mild	irritant	Man	-	48 hours 16 mg	-
	Skin - Mild	irritant	Rabbit	-	24 hours 500	-
	Skin - Mod	lerate irritan	t Guinea piç	g -	24 hours 100	-
	Skin - Seve	ere irritant	Rabbit	-	24 hours 100 mg	-
d-Limonene	Skin - Mild	irritant	Rabbit	-	24 hours 10 %	-
Conclusion/Summary	1					
Skin	: Based on	ı available d	ata, the classifica	ation criteria are	e not met.	
Eyes	: Based on	ı available d	ata, the classifica	ation criteria are	not met.	
Respiratory	: Based on	ı available d	ata, the classifica	ation criteria are	not met.	
Sensitization			,			
Not available.						
Conclusion/Summary						
Skin	: Based on	ı available d	ata, the classifica	ation criteria are	e not met.	
Respiratory	: Based on	ı available d	ata, the classifica	ation criteria are	e not met.	
<u>Mutagenicity</u>						
Not available.						
Conclusion/Summary	: Based on	ı available d	ata, the classifica	ation criteria are	e not met.	
Carcinogenicity						
Not available.						
Conclusion/Summers	- Road ar	ovoilabla -	oto the classifier	tion oritoria and	not mot	
Conclusion/Summary Classification	. Daseu on	i avaliable d	ata, the classifica	mon chiena are	HOLMEL.	
Product/ingredient name	OSHA	IARC	NTP			
d-Limonene	-	3	-			
Reproductive toxicity		<u> </u>				
Not available.						
Conclusion/Summary	: Based on	ı available d	ata, the classifica	ntion criteria are	e not met.	
<u>Feratogenicity</u>						
Not available.						
Conclusion/Summary	: Based on	ı available d	ata, the classifica	ntion criteria are	e not met.	
Specific target organ toxicity	<u>/ (single exp</u>	<u>oosure)</u>				
Not available.	_					
ode # : FF3268363 (D8404537) NA	SDS #	# : D8	3404537	Date of issue	: 11/1/2023	8/14

11. Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Information on the likely	: Not available.
routes of exposure	

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following: nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>
Not available.		
Conclusion/Summary	:	Based on available data, the classification criteria are not met.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates

11. Toxicological information

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
Air Wick Essential Mist_GUSTAV M2 23 VPZ EAM11283/00_FF3268363 (D8404537) NA	15749.3	N/A	N/A	N/A	N/A
3,5,5-Trimethylhexyl Acetate	4250	N/A	N/A	N/A	N/A
Linalool	2790	5610	N/A	N/A	N/A
d-Limonene	4400	N/A	N/A	N/A	N/A

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Distillates (petroleum), hydrotreated light	Acute LC50 5900 µg/l Fresh water	Fish - Lepomis macrochirus	4 days
,	Acute LC50 2200 µg/l Fresh water	Fish - Lepomis macrochirus	4 days
	Acute LC50 2600 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
Linalool	Acute EC50 36.7 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
d-Limonene	Acute EC50 421 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 688 µg/l Fresh water	Fish - Pimephales promelas -	96 hours
		Juvenile (Fledgling, Hatchling,	
		Weanling)	

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
Linalool	-	62.4 % - Readily - 2	8 days	-		-
Conclusion/Summary	biodegradability Data to support t the Member Stat) contained in this pr criteria as laid down his assertion are he tes and will be made ergent manufacturer.	in Regulation d at the disp available to	n (EC) No.6 osal of the o	48/2004 competer	on detergents. nt authorities of

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Linalool	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
3,5,5-Trimethylhexyl Acetate	-	1622	high
Linalool	2.84	-	Iow
d-Limonene	4.38	-	high

Mobility in soil

12. Ecological information

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): Not determined.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
0.4.77.4.000/00.4	

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	

Classification

: FLAMMABLE LIQUIDS - Category 4 ASPIRATION HAZARD - Category 1

Composition/information on ingredients

Name	%	Classification
Distillates (petroleum), hydrotreated light	30 - 60	ASPIRATION HAZARD - Category 1
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	10 - 30	FLAMMABLE LIQUIDS - Category 4 ASPIRATION HAZARD - Category 1
3,5,5-Trimethylhexyl Acetate	5 - 10	FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
Linalool	0.1 - 1	FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1B
d-Limonene	0.1 - 1	FLAMMABLE LIQUIDS - Category 3 SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1B ASPIRATION HAZARD - Category 1

State regulations

Massachusetts

New York

: None of the components are listed.

- : None of the components are listed.
- New Jersey
- : The following components are listed: Benzyl Acetate
- Pennsylvania
- : None of the components are listed.

California Prop. 65

15. This product does not require a Safe Harbor warning under California Prop. 65.


SDS # : D8404537

15. Regulatory information

Ingredient name		No significant risk level	Maximum acceptable dosage level
Myrcene Eugenyl methyl ether		-	-
Label elements			·
<u>CPSC</u> Signal word Hazard statements Precautionary measures		frequent skin contact may cause ar and pets. Avoid contact with eyes, s ed areas.	
<u>CCCR</u>			
Signal word Hazard statements Precautionary measures	: Keep out of reach of children	ntact may cause an allergic reaction and pets. and clothing. Do not ingest. Use in w	
Additional information / Re	commendations		
Additional information	: FIRST AID: Contains fragrance oils. If swallowed, DO NOT induce vomiting. Call a physician or Poison Control Centre immediately. If in eyes, rinse eyes with water. Remove any contact lenses and continue to rinse eyes for at least 15 minutes. If on skin, wash area with soap and water. If irritation persists, get medical attention. Discontinue use immediately and get medical attention if a reaction develops. Wash hands after handling.		
Recommendations	: No known significant effects o	r critical hazards.	
Recommendations	: No known significant effects o	or critical hazards.	

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



16. Other information

NFPA (30B) aerosol Flammability Not applicable

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 11/1/2023
Date of previous issue	: 5/12/2023
Version	: 2
Prepared by	: Reckitt Benckiser Hull (UK) Dansom Lane Hull, HU8 7DS United Kingdom T +44 (0)1482 326151 F +44 (0)1482 582532

VIndicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

Code # : FF3268363 (D8404537) NA